



Sveriges lantbruksuniversitet
Swedish University of Agricultural Sciences

Department of Economics

Modelling animal health as a production factor in dairy production

- a case of Swedish dairy agriculture

Cassandra Bjelkelöv Telldahl



Modelling animal health as a production factor in dairy production – a case of Swedish dairy agriculture

Cassandra Bjelkelöv Telldahl

Supervisor: Helena Hansson, SLU,
Department of Economics; Agri-Food Policy and

Assistant supervisor: Ulf Emanuelsson, SLU,
Department of Clinical Science; Veterinary Epidemiology Unit

Examiner: Richard Ferguson, SLU,
Department of Economics; Rural Entrepreneurship

Credits: 30 hec

Level: A1E

Course title: Independent project in business administration

Course code: EX0806

Programme/Education: Agricultural Programme- Economics and Management

Faculty: Faculty of Natural Resources and Agricultural Sciences

Course coordinating department: Department of economics

Place of publication: Uppsala

Year of publication: 2019

Cover picture: Hanna Nordström

Name of Series: Degree project/SLU, Department of Economics

No: 1189

ISSN 1401-4084

Online publication: <http://stud.epsilon.slu.se>

Key words: Animal Health, Cobb-Douglas, Dairy Production, Investing, Managerial economics, Mastitis, Production Function, Regression Analysis, SCC.

Acknowledgements

First of all, I would like to express gratitude to Växa Sverige for the ability to get access of and analyze the data from your producers. Secondly, I would like to thank my supervisor Helena Hansson for guidance through the process, as well as assistant supervisor Ulf Emanuelsson for bright inputs on the road. Finally, I am so grateful that my family were a part of this journey. You are my source of energy, and without you, this thesis would not have been possible to perform.

Uppsala, February, 2019

Cassandra Bjelkelöv Telldahl

Summary

Farm animal diseases affect livestock production in several different ways. From an economic perspective, diseases are an undesirable contribution to the production process. Diseases thereby lower the producer's profit margins by reducing animal health and causing unnecessary suffering to the animals. For dairy production, mastitis is the most severe disease and causes both reduced animal health, increased costs, and reduced milk yield. Subclinical mastitis can be recognized by an increase in the somatic cell count (SCC), which is, therefore, often used as an indicator of udder health and milk quality.

The purpose of this study was to investigate how animal health affects the production by presenting a general model that can be used to estimate the effect of animal health on production. Modelling animal health as a production factor has not been done in previous studies, which makes the analysis in this thesis unique.

A quantitative methodology with a deductive theory approach was applied, and microeconomic theories regarding production and animal health economics formed the theoretical framework. A broad literature review was performed regarding reduced animal health in different livestock production systems, in order to be able to develop generalized knowledge regarding how animal health affects production. The study is based on secondary data from Växa Sverige and consisted of both biological- and economic outcomes from 99 dairy farms.

Data were analyzed in SPSS and STATA by multiple regression analysis where both a Cobb-Douglas production function and a translog production function were used. On the basis of the results of this study, it can be concluded that animal health has a statistically significant effect on production. Through the results, Swedish dairy producers can estimate whether investments in improved animal health are worth the cost that is added. The developed model can also be generalized and used for other livestock production systems to investigate how animal health affects production.

Sammanfattning

Sjukdomar hos lantbruksdjur drabbar animalieproduktionen på flertalet olika sätt. Från ett ekonomiskt perspektiv utgör sjukdomar ett oönskat bidrag i produktionsprocessen genom att minska producentens vinstmarginaler och orsaka onödigt lidande för djuren. För mjölkproduktionen är mastit den allvarligaste sjukdomen och orsakar både reducerad djurhälsa, ökade kostnader och minskad mjölkavkastning. Subklinisk mastit visar sig genom ökning av det somatiska celltalet (SCC) som av den anledningen används som indikator för juverhälsa och mjölk kvalitet.

Syftet med det här examensarbetet var att undersöka hur djurhälsa påverkar produktionen genom att utveckla en allmän modell som kan användas för att uppskatta effekterna av djurhälsa på produktionen. Att modellera djurhälsa som en produktionsfaktor har inte gjorts i tidigare studier vilket gör analysen i detta examensarbete unik.

En kvantitativ forskningsmetod med en deduktiv ansats har använts där mikroekonomiska teorier har används som referensram för att testa hur djurhälsa påverkar produktionen. Vidare genomfördes en bred litteraturgenomgång gällande reducerad djurhälsa hos andra typer av produktionsinriktningar. Detta för att kunna ta fram generaliserad kunskap om hur djurhälsa påverkar produktionen i allmänhet. Studien baseras på sekundärdata från Växa Sverige och bestod av både biologiska fakta samt ekonomiskt utfall från 99 mjölkgårdar.

Data analyserades i SPSS och STATA genom multipel regressionsanalys där både en Cobb-Douglas produktionsfunktion samt translog produktionsfunktion användes för att estimerar effekten av djurhälsa. Resultaten visade att djurhälsa har en statistiskt signifikant effekt på produktionsfunktionen. Genom resultaten kan svenska mjölkproducenter estimerar om investeringar i förbättrad djurhälsa är värt kostnaden som tillkommer. Modellen som utvecklades kan även generaliseras och användas till andra produktionsinriktningar för att undersöka hur djurhälsa påverkar produktionen för dessa djurslag, genom att anpassa variabeln för djurhälsa till sjukdomar som förekommer för de djurslagen.

Abbreviations

BTSCC- Bull tank somatic cell count

CM- Clinical mastitis

ECM- Energy corrected milk

FAWC- Farm Animal Welfare Council

GDPR- General data protection regulation 1

SCC- Somatic cell count

SCM- Subclinical mastitis

SEK- Swedish krona

SH- Swedish Holstein cow

SPSS- Statistical Package for the Social Science

SR- Swedish Red cow

Table of Contents

1 INTRODUCTION.....	1
1.2 PROBLEM	2
1.3 AIM AND RESEARCH QUESTION	3
1.4 CONTRIBUTION AND DELIMITATIONS.....	3
1.5 OUTLINE	4
2 EMPIRICAL BACKGROUND	5
2.1 SWEDISH DAIRY PRODUCTION	5
2.2 MASTITIS	5
2.3 SOMATIC CELL COUNT	6
3 THEORETICAL FRAMEWORK AND LITERATURE REVIEW	8
3.1 LITERATURE REVIEW	8
3.1.1 <i>Economic aspects of animal health</i>	8
3.1.2 <i>Economic aspects of mastitis</i>	9
3.2 THEORETICAL FRAMEWORK.....	10
3.2.1 <i>Production economics</i>	10
3.2.2 <i>Animal health economics</i>	11
3.3 THEORETICAL SUMMARY	12
4 METHOD	14
4.1 METHODOLOGY	14
4.2 MATERIAL AND SELECTION	15
4.3 MODELLING ANIMAL HEALTH	15
4.4 EMPIRICAL MODELS	16
4.4.1 <i>Estimation of production function: Cobb-Douglas</i>	16
4.4.2 <i>Estimation of production function: Transcendental logarithmic</i>	17
4.4.3 <i>Regression analysis</i>	17
4.4.4 <i>Hypothesis test</i>	18
4.5 QUALITY CRITERIA FOR QUANTITATIVE RESEARCH.....	18
4.5.1 <i>Reliability</i>	19
4.5.2 <i>Validity</i>	19
4.5.3 <i>Replicability</i>	19
5 RESULTS	20
6 DISCUSSION	21
6.1 RESULT DISCUSSION.....	21
6.2 METHOD DISCUSSION	23
7 CONCLUSIONS	25
BIBLIOGRAPHY	26
<i>Literature and publications</i>	26
<i>Internet</i>	32
APPENDIX. ARTICLE MANUSCRIPT	1

List of figures, equations, and tables

FIGURE 1. STRUCTURE OF THE THESIS.....	4
EQUATION 1. PRODUCTION FUNCTION	11
EQUATION 2. PRODUCTION FUNCTION DAIRY FARMS	16
EQUATION 3. COBB-DOUGLAS PRODUCTION FUNCTION	16
EQUATION 4. LN COBB-DOUGLAS PRODUCTION FUNCTION	17
EQUATION 5. TRANSLOG PRODUCTION FUNCTION 1	17
EQUATION 6. TRANSLOG PRODUCTION FUNCTION 2	17
EQUATION 7. REGRESSION ANALYSIS	17
EQUATION 8. RESULTS MODEL 2 (LN).....	22
EQUATION 9. RESULTS MODEL 2.....	22
TABLE 1. SUMMARY RESULTS OF THE REGRESSION MODELS.	20

1 Introduction

Along with the growing population and a vision of sustainable agriculture, there is an increasing concern about the wellbeing of farm animals (e.g., D'Silva, 2009; Hansson & Lagerkvist, 2012; Lagerkvist, Hansson, Hess & Hoffman, 2011; Lusk, Nordwood & Prickett, 2007). In the European Union, this has resulted in several regulations, both public and private, to safeguard that farm animals should not suffer when being kept for the production of food, skin, fur, and others (Council Directive 98/58/EC). Most of these regulations have their roots in the so-called *Five freedoms*, which form a framework to safeguard and improve animal welfare under human control (FAWC, 1979; 2009). These are freedoms:

- (1) from hunger and thirst
- (2) from discomfort
- (3) from pain, injury or disease
- (4) to express normal behavior and
- (5) from fear and distress.

The standards of good animal welfare vary between different contexts, but World Organization for Animal Health (2011) state that good animal welfare requires disease prevention and veterinary treatment, appropriate shelter, management, nutrition, humane handling, and humane slaughter. It may seem obvious that good animal welfare requires that the animal is healthy, but the relationship between them is sometimes underestimated (Bayvel, 2004; Ladewig, 2008). The freedom from pain, injury or disease were formed to prevent and minimize suffering for farm animals, and this is an important aspect of animal welfare. Improving animal health for production animals is an essential part of agriculture since diseases otherwise cause pain, suffering and even death to a livestock firm's vital resources (Dijkhuizen & Morris, 1997).

Diseases in livestock have a negative impact on several important aspects of farm animal performances. Diseases may cause reduced fertility, increased mortality or lower feed efficiency (Chi, VanLeeuwen, Weersink & Keefe, 2002). It affects the producers in several different ways and from a microeconomic perspective, diseases represent an undesirable contribution in the production process of converting inputs to outputs (Chi et al., 2002; Hansson & Lagerkvist, 2012). Diseases thereby lower the producer's profit margins by reducing animal health as well as causing unnecessary suffering to the animals. Livestock diseases also cause a need for veterinary treatments and antibiotics and excessive use of antibiotics increases the risk of developing resistant bacteria, which is a significant public health threat (Appelby et al., 2011; Mevius et al., 2005; Nielsen, 2009).

In livestock production, there are several species-specific diseases which all affect animal health. For dairy production, mastitis represents one aspect of animal health and the disease is the most common and costly production disease in dairy herds worldwide (Carlén, Strandberg & Rooth, 2004; Halasa et al., 2007). Mastitis causes both suffering for the animal, costs to the producer and losses through reduced milk yield (e.g., Hagnestam-Nielsen & Østergaard, 2009; Hansson & Lagerkvist, 2012; Kossaibati & Esslemont, 1997). Mastitis can be either clinical (CM) or subclinical (SCM) and cause significant variation in total losses on farm level (Huijps, 2009; Huijps, Lam & Hogeveen, 2008; Lusk & Norwood, 2011; McInerney, 1996). SCM does not give rise to any visible symptoms but can be recognized as rising of the somatic cell count (SCC). SCC is, therefore, often used as an indicator of udder health and milk quality (Hardeng & Edge, 2001). To prevent dairy producers from selling milk with high

SCC, there are regulatory limits in the European Union on the maximum bulk tank SCC (BTSCC) allowed in milk produced for human consumption (Council Directive 92/46/EEC). These regulatory limits include penalties and premiums in the milk payment system which may have a significant impact on the milk revenue for the producers. Mastitis cost the Swedish dairy industry nearly 192 million SEK a year and is also the main reason for antibiotic treatments in Swedish livestock production (Nielsen, 2009; Nielsen et al., 2010).

1.2 Problem

Reduced animal health due to diseases represents an undesirable contribution to the production process. For dairy producers, acute and preventive work on udder health are two crucial issues in the dairy industry that producers face in their daily practice of becoming profitable. The high incidence of mastitis and the potential costs and losses that are incurred contributes to the demand for research on the subject. Mastitis represent one aspect of animal health and several studies have been published regarding the effect of mastitis since it reduces the efficiency, lowering profit margins, and reducing animal health by causing unnecessary suffering for the cow (e.g., Bar et al., 2008; Halasa et al., 2007; Hagnestam-Nielsen & Østergaard, 2009; Huijps, Lam & Hogeveen, 2008; Kossabati & Esslemont, 1997; Seegers et al., 2003; Østergaard et al., 2005). There is also a potential food safety risk from bacterial toxins and antibiotic residues, issues associated with rising SCC in milk (Hogan, 2005). To identify total losses in the dairy industry due to rising SCC and mastitis, different economic measures and calculations have been executed in order to demonstrate the problem for the dairy producers. These economic measures serve as a foundation for the development of strategies for preventive animal health work.

Previous studies have used several different methods to estimate the effect of reduced animal health due to diseases. But only a few studies (e.g., Bennett, 2003; Chi et al., 2002; Yalcin et al., 1999; Yalcin, 2000) have used production functions when analyzing the direct effect of livestock diseases, as suggested by McInerney (1991, 1996). By not using production functions when estimating the effect from diseases, the results may be incorrect and essential conclusions may be overlooked. Most of the earlier published literature regarding mastitis have used other methods when analyzing data, and the results vary significantly. Estimates from, e.g., simulation models were higher than estimates calculated from other methods which may question the validity of the analysis methods (e.g., Bar et al., 2008; Hagnestam-Nielsen & Østergaard, 2009).

Variation in the results of previous estimates may also be explained by different studies using different cost categories in their calculations (e.g., Bennett et al., 1999; Halasa et al., 2007; Huijps et al., 2008; Rollin et al., 2015; Schepers & Dijkhuizen, 1991). Other reasons for the variation seem to be the origin of data or the definition of mastitis (Nielsen, 2009). The variation causes the overall applicability of the results to be limited, which leads to a need for a general model to estimate the effect of animal health. This is essential as it becomes difficult to replicate the studies when no general models have been designed and used. The confirmation of research findings through replication by other researchers is an essential part of the scientific methodology, and it can serve as an excellent complement in quality assurance of research (e.g., Cumming 2008; Verhagen & Wagenmakers, 2014). Generalized estimates of the effect of animal health can both help to analyze the situation, limit the losses and estimate the extent of the loss to be avoided, in order to improve the profitability of the farm (McInerney, 1991).

Furthermore, for Swedish dairy producers, earlier literature regarding estimates of the effect of animal health, are based on data samples collected before 2004 and may not be accurate today (e.g., Hagnestam-Nielsen et al., 2009; Hagnestam-Nielsen & Østergaard, 2009). Although these past studies are highly relevant, much has happened in the last 15 years. Just in the previous ten years the number of dairy producers in Sweden has decreased significantly, and the remaining producers need to optimize the production and the technical efficiency as much as possible (Bergh, 2018; SCB, 2018). The gap in existing literature for Swedish dairy producers makes it difficult for the producers to know to what extent they are economically affected by reduced animal health. Therefore, updated estimates are needed which apply to the Swedish dairy producers, with the purpose of highlighting the economic implications of improving animal health by reducing mastitis.

1.3 Aim and research question

The purpose of this study was to investigate how animal health affects the production by presenting a general model that can be used to estimate the effect of animal health on production. In this study, the absence of mastitis will represent animal health, in order to provide estimates that can support strategic decision-making and motivate and dimension preventive work against poor udder health and mastitis. The study aims to address the following research question:

What is the effect of animal health on the dairy farms production function?

1.4 Contribution and delimitations

In relation to previous studies, this study provides a new way of modelling the effect of animal health on production. This study contributes to the existing literature by modelling the effect of animal health in the production function. By modelling the effect of animal health, it concretizes the economic value of improved animal health, and investment in animal health is seen as an asset in production. Seeing animal health as a production factor has not been previously done. Investments in animal health will, therefore, increase the output level. The data used in this study allows for statistical processing instead of stochastic modelling, and the results can be generalized.

The findings can serve as a basis for future research on the effect of animal health. The model developed in this study is meant to be used in practice by farmers, veterinarians, and other advisors, or form the basis for future research. On the base of the results from this study, Swedish dairy producers can become aware of the importance of lowering the BTSCC in order to improve animal health and the profitability of the farm.

This study is written within the field of business administration and will be limited to include the sub-fields managerial economics and microeconomics. The data for this study comes from Växa Sweden, and this study is therefore limited to only include dairy producers that are members of Växa. Dairy farms that are not members of Växa will not be included in the analyzes, and the representativeness will be discussed.


1.5 Outline

The disposition for this thesis differs from the standard outline. The entire thesis includes both a compilation thesis and an article manuscript which can be found in the appendix.

The first chapter of the compilation thesis includes an introduction to the topic, problem formulation, together with the purpose and contribution of the study. Sections two and three include background information regarding mastitis and SCC together with a broad literature review. Also, the theoretical framework from which the study is built on is presented in chapter three. Chapter four begins with a description of the research methodology that the work will follow. After that, the material and selection are presented. The data selection is also described in more detail in the article manuscript. Furthermore, the analysis methods are presented together with the quality criteria for this study.

Chapter five consist of the results, which are also presented in more detail in the article manuscript. Chapter six includes a discussion on the empirical contribution of this study together. The article manuscript also include a proposal for future research as wells as the theoretical contribution of this study. Lastly, the conclusions can be found in both chapter seven. The references for the compilation thesis can be found under bibliography.

The article manuscript in the appendix follows a standard structure with an initial introduction, followed by the material and methods section. After that, the results are presented in depth and discussed. Lastly, the conclusions are presented and the references for the article manuscript are at the bottom of the thesis.



Figur 1. Structure of the thesis

2 Empirical background

The following section involves information about the Swedish dairy industry and the conditions for the dairy producers. It also contains a description of biological facts about the disease mastitis and the somatic cell counts.

2.1 Swedish dairy production

The Swedish dairy industry is considered to be the most valuable sector in Swedish agriculture of the products produced for further trading (Bergh, 2018; SCB, 2018). But the economic conditions for the producers have been fluctuating, and the industry has undergone significant structural changes over the past 30 years. The numbers of producers have fallen dramatically between 1987-2017 and almost nine out of ten producers have shut down their companies, and the numbers of dairy cows have decreased from 576 000 to 322 000 (Bergh, 2018; SCB, 2018). Just over the last ten years, numbers of producers have been halved (from 7000 to 3600), and the economic margins are slim. The remaining producers, therefore, need to optimize the production and their efficiency. But on the other hand, the efficiency has increased over the same period, and the amount of milk per cow has risen from 6000 kilos/year to 8900. Also, the average herd size has grown over the last ten years from 52 cows to 85 (Bergh, 2018).

There are around 60 different dairy processors in Sweden, and 66% of them belongs to Arla Foods Sverige (Bergh, 2018). The dairy producers get paid for their outputs (kilo energy corrected milk, ECM, delivered), but the kilo price may vary for the producers based on a settlement model. The dairy price depends on several factors such as fat and protein content, organic milk, expected delivery amount, non-GMO, and for the milk quality (bacteria and SCC) (Arla, 2018). The milk quality is essential for the settlement price, and there are regulatory limits for both bacterial count and SCC. These regulatory limits include penalties and premiums in the milk payment system and originates from the European Union Directive 92/46 that sets the maximum allowable BTSCC for manufacturing milk at 400 000 cells/ml. The pricing system for milk quality is based on measuring the BTSCC, and for producers that deliver to Arla Foods it provides premiums/penalties as follows:

SCC <200 000	= +2%
SCC 200 001-300 000	= +1%
SCC 300 001-400 000	= 0
SCC 401 000-500 000	= -4%
SCC >500 000	= -10%

(Arla Foods, 2018).

2.2 Mastitis

Mastitis is the most common and costly disease in dairy production as stated in the introduction (e.g., Bar et al., 2008; Dijkhuizen 1991; Hagnestam-Nielsen & Østergaard, 2009; Halasa, Huijps, Østerås, & Hogeveen, 2007; Hillerton, 1991; Huijps, 2009; Nielsen et al., 2010; Schepers & Dijkhuizen, 1991). Mastitis is an inflammation in the mammary gland as a response to an infection often caused by bacteria, and it is not unusual that up to 40% in a herd have mastitis (Nielsen, 2009). Studies show that the frequency of mastitis increases with herd size, and for Sweden, Swedish Holstein (SH) is the breed that is primarily affected

(Hagnestam-Nielsen & Østergaard, 2009; Halasa, Huijps, Østerås, & Hogeveen, 2007; Hillerton, 1991; Huijps, 2009; Nielsen et al., 2010). The consequences of mastitis are on several levels: economic loss to the producer, health problems for the cow which reduces animal welfare and causes issues with the raw milk quality for the dairy industry (Bennett et al., 1999; Carlén, Strandberg & Roth, 2004; Halasa et al., 2009).

Mastitis can be clinical, CM, with visible signs, or subclinical, SCM, without visible signs, but most of the cases are subclinical and more difficult to detect (Bar et al., 2008). For the cow, CM can lead to abnormal milk secretion, swollen udder, loss in appetite, fever, rapid pulse, and even death (Miller & Dorn, 1990). Mastitis is also the main reason for antibiotic use in Swedish livestock production (Bergh, 2018; Hagnestam-Nielsen & Østergaard, 2009). Depending on the severity of the disease, it may be a several weeks ban on the sale of milk from cows with mastitis (Nielsen et al., 2010). Direct costs of CM are associated with veterinary treatment such as diagnostic testing and therapeutics, discarded non-saleable milk and increased labor (Bar et al., 2008; Hagnestam-Nielsen and Østergaard, 2009). Indirect costs of CM are referred to as hidden costs including reduced milk production, increased risk of subsequent disorders, reduced fertility, increased risk of culling and even mortality. Reduced milk yield, however, is the most significant indirect cost and estimating the exact amount of the loss, varies between studies (e.g., Bar et al., 2008; Hagnestam-Nielsen and Østergaard, 2009; Hagnestam-Nielsen et al., 2009; Halasa et al., 2007; Huijps, Lam, and Hogeveen, 2008). Because of this, total costs of mastitis may be even higher than estimated and vary between regions, countries, and farms (McInerney, 1996).

The total economic loss caused by mastitis consists of both production losses and higher costs compared to a healthy cow. Primarily, there will be lower revenue from lower sales of milk per cow and higher costs of herd recovery, i.e., loss by cow culling (Hagnestam-Nielsen et al., 2009). It will also be additional costs on milk sample analysis, medicine, and veterinary treatment together with rising costs for labor (extra care for mastitis cows). Furthermore, there is a risk to get fewer calves per year, lower milk price due to lower milk fat and protein, lower milk price due to rising SCC and higher costs for insemination. Also, there is also an increase in abortions in cows with CM (Santos et al., 2004). Mastitis (both CM and SCM) therefore negatively affect the fertility of lactating cows (Schrack et al., 2001).

2.3 Somatic cell count

In milk of a healthy mammary gland, SCC is below 50 000 cells/ml and remain constant between days during the lactation period, except the first weeks postpartum (Emanuelson & Persson, 1984; Miller et al., 1993; Schepers et al., 1997). If there is an inflammation (SCM), the cow's immune system is activated, and this is manifested as an elevation of SCC. Furthermore, SCC consists of primarily white blood cells and leukocytes, and they are protective mechanisms of the mammary gland (Harmon, 2001; Östensson, 1993). Measuring the numbers of SCC in milk is control of the udder health and an indicator of the severity of possible mastitis. There is a distinct change of the milk components when SCC exceeds 100 000 cells/ml, and SCC is, therefore, an essential indicator of milk quality since it includes both hygienic, composition, and technological aspects (Hamann, 2002). The level of SCC is also important for consumers since poor animal welfare, have a negative externality on food production which is an essential aspect for the producers to consider (Ingenbleek & Immink, 2011; Lusk, Nordwood & Prickett, 2007).

SCM, also defined as cows with an increased SCC, cause a significant economic loss to the producer because of a decrease in the milk production (Nielsen et al., 2010). Every doubling of the SCC above 50 000 cells/ml results in a milk production loss of 0.4-0.6 kilos milk/day (Hortet & Seegers, 1998). The producers BTSCC reflects the udder health on the entire lactating herd and the pathogen distribution between the herd. In the European Union, there is a limit for SCC in raw milk produced for human consumption, stated at $\leq 400\,000$ cells/ml (Council Directive 92/46/EEC). Though, some scientists argue that it should be a physiological threshold set already at a level of 100 000 cells/ml (e.g., Hamann, 2009). Furthermore, udder diseases such as mastitis and high SCC are the most common cause for culling among Swedish dairy cows which is, from an animal welfare perspective, unsustainable (Nielsen, 2009). Together with the ethical aspect that excessive use of antibiotics may lead to multiresistant bacteria, reducing the frequency of mastitis and high SCC are truly important for sustainable dairy production.

There are several known factors that also affect the SCC, but the most important is the infection status of the mammary gland. Furthermore, the cow's age also affects, and SCC and mastitis tend to increase with age and number of lactations if the cow has been previously infected (Saloniemi, 1995). The highest SCC can be seen during the summer, due to better conditions for bacterial growth throughout the pasture (Emanuelsson & Persson, 1984). There are also significant differences in SCC between different dairy breeds, and Swedish Holstein (SH) tend to have higher SCC than Swedish Red (SR) (Hagnestam-Nielsen & Østergaard, 2009; Halasa et al., 2007; Nielsen et al., 2010). Factors like the type of bedding, housing, stall maintenance, staff hygiene, and manure handling also affect the SCC (Barkema et al., 1998; Reneau, 1985). A good milking technique, well-maintained machines, and dry cow therapy can lower the herd BTSCC (Barkema et al., 1998). Lastly, when a cow is exposed to high temperatures, often combined with high humidity, she suffers from heat-stress. During heat-stress cows show reduced feed intake, decreased activity, increase respiratory rate, and increase both peripheral blood flow and sweating. This has a significant adverse effect on milk production of the lactating cow (West, 2003).

3 Theoretical framework and literature review

Chapter 3 includes a literature review of earlier published literature on animal health and mastitis, together with the theoretical framework from which this study is built on. The chapter concludes with a summary of how the theories and concepts will be used in this study.

3.1 Literature review

Below is a review of previously published literature regarding the effect of animal health due to livestock diseases. A broad literature review has been conducted in which most other livestock production areas have been included in order to gain an increased understanding of the effects of reduced animal health. For this study, a broader understanding is needed to be able to develop the model for animal health.

3.1.1 Economic aspects of animal health

It is established that preventive care of farm animal is better and economically justified, compared to treating already ill animals (Dehove, Commault, Petitclerc, Teissier & Mace, 2012). In a review of existing literature, numerous of calculation methods and different economic models are used to compare costs and benefits, measure the impact of an animal disease in a given country or production sector, perform risk analyses or evaluate the effects of disease-control programs. McInerney (1991) suggested that the most accurate method to calculate the cost of a livestock disease would be to construct and compare production functions of healthy and diseased animals. A production function for animal health would have inputs formed by the expenditures on disease control measures and the outputs are the resulting benefits decreased the occurrence of the disease (Huijps, 2009; McInerney, Howe & Schepers, 1992). But production functions are rarely used in the discipline of animal health economics mainly because of lack of data (Bennett, 2003; Chi et al., 2002; Yalcin et al., 1999). To overcome this, researchers use simulation modelling or decision analysis methods instead since they are not as dependent on detailed epidemiological information (Stott et al., 2003).

Shulz and Tonsor (2015) analyzed the timeline of porcine epidemic diarrhea virus (PEDV) in the United States and the corresponding economic impacts by a budget model approach. The model demonstrates a forecast with a 43% decrease in finished pigs sold per female in 2014, and the model was utilized to highlight the total cost of productivity losses for the producers. Others have used risk-analyses to evaluate the economic impacts of PEDV, or the Paarlberg et al. (2008) economic model, which showed that the PEDV outbreak (if 3% annual pig loss), caused a decline in national economic welfare with just over \$900 million (Paarlberg, 2014). Other diseases such as Postpartum Dysgalactia Syndrome (PPDS) and Locomotory Disorders harm sow productivity and often results in sow replacement (Niemi et al., 2017). The economic losses were estimated by stochastic dynamic models to €300–€470 per affected sow for PPDS and €290–€330 per affected sow for locomotory disorders.

To determine economic losses due to coccidiosis in chickens, Williams (1999) designed a compartmentalized model and estimated total costs in the UK in 1995 to have been at least GB£38 588 795. Furthermore, several studies have analyzed the economic impact of foot-and-mouth disease (FMD) outbreaks in cattle by using cost-benefit analysis, bioeconomic models and stochastic simulation models (Blake, Sinclair & Sugiyarto, 2003; Rushton, 2009;

Schoenbaum & Disney, 2003; Truong et al., 2018). FMD is the most critical livestock disease in terms of economic impact, and it causes production losses in both cattle and pig systems (Rushton, 2009). Truong et al. (2018) found that vaccination investments were profitable for dairy farmers by a cost-benefit analysis. Blake, Sinclair, and Sugiyarto (2003) used a computable general equilibrium model for estimating the economic effect in the UK and found that FMD outbreak also significantly reduced tourism expenditures, as well as harming the agricultural sector. Schoenbaum and Disney (2003) used a stochastic model to simulate outbreaks of FMD and estimated the total cost in the US to varying between 260 to 3270 million dollars depending on the scenario. The total cost in this study was set to be the sum of eradication costs, production losses, and the potential loss of export markets.

Chi, VanLeeuwen, Weersink, and Keefe (2002) used both a partial-budgeting model and an incorporated risk and sensitivity analyses to identify the total economic cost of cattle diseases: bovine viral diarrhea (BVD) \$2421; enzootic bovine leukosis (EBL) \$806; Johne's Disease (JD) \$2472 and neosporosis \$2304. They also used a sensitivity analysis to show how the effects on cost were, due to milk yield effects and for a 0 to 5% milk production loss due to BVD, the costs were increased by 266%. Furthermore, for dairy cattle, McArt, Nydam and Overton (2015) developed a deterministic economic model to estimate the total cost per case of hyperketonemia (HYK) which were estimated at an average \$289. Economic impacts from other diseases such as porcine reproductive and respiratory syndrome virus (PRRSV) have been studied by 2-step approach, case studies and enterprise budget models. Neumann et al. (2005) estimated that PRRSV causes approximately \$560.32 million in losses each year for US swine producers. Holtkamp et al. (2013) estimated the annual economic impact of PRRSV on the US swine industry using an enterprise budgeting. The total yearly cost was \$664 million, and losses in the breeding herd accounted for up to 45% of the total cost.

3.1.2 Economic aspects of mastitis

Several studies have examined the economic impact of mastitis, and there has been considerable variation in the size of the economic losses (e.g., Halasa et al. 2007; Schepers & Dijkhuizen, 1991). In Huijps et al. (2008) the economic losses caused by SCM were between €3 to €20 per cow depending on the level of BTSCC. The total economic loss was €182/cow and on-farm level up to €11 808 per year. Furthermore, the main component of economic loss caused by CM is reduced milk and that the production loss due to SCM is estimated to be even higher than for CM (Degraeve & Fetrow, 1993; Kossaibati & Esslemont, 1997; Seegers et al., 2003). Østergaard et al. (2005) estimated total yield loss at 392kg ECM per case of CM meanwhile other studies show that production losses due to mastitis varied between 247 kilos to 450 kilo depending on the severity of the case (Kossaibati & Esslemont, 1997). Yalcin (2000) argues that SCM cases are responsible for a more significant proportion of the economic loss caused by mastitis. In Hagnestam-Nielsen and Østergaard (2009) cost per case of CM was estimated at €278 and in Rollin et al. (2015), the average case of CM resulted in a total economic cost of \$444, including \$128 indirect costs and \$316 direct costs.

Studies also show that mastitis causes the Swedish dairy producers an annual loss of 192 million SEK and for the US nearly 2 billion dollars (Hagnestam-Nielsen et al., 2009; Jones & Bailey, 2009). The economic effect can be divided into three categories: reduced incomes, cost of treatment and early culling (Bennett et al., 1999). For subclinical mastitis, the cost per case is less well documented with an average between 60€ and 278€ (Huijps et al., 2008; Kossaibati & Esslemont, 1997; Kvapilík et al., 2015; Yalcin, 2000). To calculate yield losses and costs, many variations of linear regression and stochastic simulations have been used

(e.g., Bar et al., 2008; Bennett et al., 1999; Hagnestam-Nielsen and Østergaard, 2009; Nielsen, 2009). Only a few studies have calculated all costs categories including; costs of production loss, drugs, labor, culling, veterinary, discarded milk, and milk quality (SCC), which are needed for correct and adequate economic calculations (Gill et al., 1990; Halasa et al., 2007; Huijips et al., 2008; Rollin et al., 2015; Schepers & Dijkhuizen, 1991). The most common method used to estimate costs of mastitis is dynamic stochastic simulation model, and most of the researchers are from the field of veterinary science, biology, epidemiology, genetics, and a few within the agricultural economics. Estimates from simulations were higher than estimates calculated from other methods (e.g., Bar et al., 2008; Hagnestam-Nielsen & Østergaard, 2009).

3.2 Theoretical framework

The theoretical framework of this study originates from traditional microeconomic theories and managerial economics. Managerial economics deals with the application of economic theories, concepts, tools, and methodologies in order to solve practical problems in business (Allen et al., 2013). The overall purpose of managerial economics is to help the manager in decision making and it acts as a link between practice and theory. Thereby, managerial economics assist the companies in the work of achieving their strategic objectives (Pindyck & Rubinfeld, 2009). Lastly, the study is also based on theories regarding animal health economics.

3.2.1 Production economics

The underlying assumption for any business is to maximize the utility by profit maximization, and the major challenge is for any firm manager to allocate its resources in order to generate a profit (Allen et al., 2013). Profit is the surplus remaining when a firm's total costs are subtracted from its total revenue, and maximum profit has two different dimensions; revenue maximization or cost minimization. Profit maximization occurs when a firm find the level of output (production level) where the slope of the profit function is zero, i.e., where the difference (gap) between total revenue (TR) and total cost (TC) is as big as possible (Allen et al., 2013). Profit maximization also occurs at the point when marginal cost (MC) is equal to marginal revenue (MR), and the point is located somewhere below the maximum output. Hence, producing interminably is not necessarily the most profitable solution (Pindyck & Rubinfeld, 2009).

Understanding the production process, and knowing how to control firm costs, are two key issues in the direction for a firm to become profitable. At the most fundamental level, firms must be as efficient as possible when transforming their scarce resources (inputs) into outputs, but efficiency requires knowledge of the production process (Allen et al., 2013). Firm inputs are known as production factors and include anything that the firm needs for its production process (Pindyck & Rubinfeld, 2009). Usually, the inputs are categorized into three groups: labor, material, and capital. Labor inputs include workers (both skilled, unskilled and firm managers), materials include goods and raw material, bought and transformed into final products, and capital include land, machinery, equipment, buildings, and inventories. There is a variety of ways for firms to turn their inputs into outputs, which can be expressed by a production function. The production function describes the technical relationships transforming inputs into output (Allen et al., 2013). Each firm has a unique production function, and it applies to certain available technology (Pindyck & Rubinfeld, 2009). The general expression for the production function is (1):

$$Q = f(X_1, X_2, \dots, X_n) \quad (1)$$

Where Q is the level of output produced and X_1, X_2, \dots, X_n are the inputs needed. Inputs can be fixed or variable, though, in the long run, all inputs are said to be variable (Pindyck & Rubinfeld, 2009). Fixed inputs are usually buildings, land, machinery, while variable inputs are altering in volume when facing a shift in market conditions (Allen et al., 2013). If there is a disturbance in the production process, it may lower the amount of output, by increasing the inputs needed or reducing the efficiency of the inputs. This will cause a downward shift in the production function due to a reduction in output for a given input level associated with the disturbance (Allen et al., 2013). Managers study the production function in order to gain insight into the firm's cost structure.

If total output remains fixed due to capacity constraints (in the short run) and the revenue streams remain fixed (e.g., prices cannot be changed on its own, due to a competitive market), the only way to maximize profit is for the firm to minimize its costs (Pindyck & Rubinfeld, 2009). A firm's costs include several items distinguished between controllable and those who cannot be controlled (Allen et al., 2013). Together with the firm's production costs, they determine the economic cost of production.

Many times, extensive investments are required for the company to manage different changes. Investments are also made to improve the company's chances for survival (Allen et al., 2013). Strategic investments are a sacrifice of immediate consumption with the aim of strengthening the company by increasing future revenues as a result of the investment. There is not unusual that companies make investments to try to reduce their costs in the long term and thus increase the company's profitability (Pindyck & Rubinfeld, 2009). By replacing existing resources with new ones, or expanding the company's capacity and becoming more efficient, the company can achieve higher profitability.

3.2.2 Animal health economics

Animal health economics is defined by Dijkhuizen (1992) as the discipline that aims to provide a framework of concepts, procedures, and data to support the decision-making process in optimizing animal health management. The research field primarily deals with quantifying economic effects of animal diseases, develop methods for optimizing decisions, and determining the profitability of disease control/health management programs (Dijkhuizen, 1992). Prevention of production animal diseases has become a key element in the development of competitive livestock production systems (Bennett, 2003; Schwabenbauer, 2012). The same applies to control the costs of farm livestock production and to improve animal health and fertility, which also may be crucial to becoming profitable in modern farming (Bennett, 2003; McInerney, 1996).

Diseases in livestock affect the production in different ways, but the common denominator is that diseases reduces the efficiency and decrease the productivity (McInerney, Howe & Schepers, 1992). On the input level, diseases destroy the necessary resources of the production, e.g., mortality of livestock and lowering the efficiency of the production process by reduced feed conversion. Diseases may alter feed intake, which will most likely be reduced which harms the animal and the production (Bennett, 2003). It may affect the nutrient metabolism, respiration or excretion, which all can be costly for the producer and deadly for the animal. At output level, diseases may reduce the amount of output, e.g., lower milk yield, fewer eggs produced, fewer piglets and others. Diseases can also harm the quality of the product, e.g., lower fat content in milk, poor hides because of parasites, and so on (Bennett,

2003). Furthermore, diseases can change the value of animals and products from slaughtered animals, reduce weight gain, fertility, capacity for work and so on. Lastly, some diseases may harm human well-being through zoonoses (McInerney, 1996).

As a result of diseases, losses arise for the producers. Calculating financial losses due to diseases help to analyze the situation, limit the loss as much as possible and estimate the extent of the loss to be avoided (Dijkhuizen & Morris, 1997). The total loss also affects the market at different economic levels. It affects the farm (individual producer) as explained above, but also the sector (joint livestock farmers) which face a loss if the market price does not adjust itself. It also affects the processing industry with services and trade, the consumer due to higher prices and lower product quality, and the national economy due to inefficient use of resources (Dijkhuizen, 1992; McInerney, 1996). Due to diseases, additional resources are required that could have been employed otherwise, such as labor and imported feedstuff (Dijkhuizen, 1992). Losses caused by livestock diseases can be categorized into two significant groups: direct and indirect. Direct losses are usually at input level with visible losses such as deaths or abortion. Or invisible losses when diseases reduce the efficiency of the production process through reduced fertility, reduced feed conversion, and at an output level with lowered milk yield, and reduced milk quality due to mastitis for example (Chi et al., 2002). Diseases also cause indirect losses through additional costs, e.g., veterinary treatment, drugs, vaccines, quarantine, or to treat ill cases. It also includes sub-optimal exploitation of otherwise available resources, e.g., revenue is forgone, denied access to the better market, or use of suboptimal production technology (Rushton, 2009).

The total economic cost (C) of a disease is the sum of the production losses (L) (both indirect and direct), and eventual control expenditures (E), which are the extra input needed to limit losses, and it will differ between production system, disease, region, and country (Dijkhuizen, 1992; McInerney, Howe & Schepers, 1992). There is a substitution relationship between total loss and control expenditures and, for example, higher treatment and prevention expenditures result in lower losses (McInerney, 1996). The relationship is also likely to be non-linear and some combinations of L and E sum to a lower C, than others. The curve is assumed to slope downwards with a diminishing return to expenditures; for each dollar spent on expenditures, additional return in reduced losses becomes gradually reduced. By finding the optimal combination of these two components (e.g., try to reduce disease costs to a minimum), it is possible to minimize the total economic cost for the disease (Bennett, 1992).

3.3 Theoretical summary

In order to develop a model for estimating the effect of animal health on production, the above-presented literature, and theoretical framework will be used as a basis. The theoretical framework applied in this study clarifies the importance for firms to understand the production process. At the most fundamental level, firms must be as efficient as possible when transforming their inputs into outputs (Allen et al., 2013). The production function describes the technical relationships converting inputs into an output, and if there is a disturbance in the process, efficiency will most likely be reduced (Pindyck & Rubinfeld, 2009).

For agricultural producers, several inputs are required in order to produce an output, such as milk. For dairy producers, most of the revenue comes from sold milk, and the costs are both controllable and not. Buildings, machinery, and land are often referred to as fixed inputs, and these will not be changed over the analysis period (e.g., McInerney, 1991; McInerney, Howe

& Schepers, 1992). The number of dairy cows, amount of feed, labor, and veterinary care are variable inputs and vary with the quantity level produced but can be controlled. There are also random factors that cannot be influenced by the producer, such as market price and the weather. These inputs can be expressed as random constant variables (Djurfeldt & Barmark, 2009). When animal health is reduced, as a result of, e.g., mastitis, there will be a disturbance in the production function which prevents outputs from being produced at an average level (Dijkhuizen & Morris, 1997; McInerney, 1991). This may lower output by increasing the mortality rate (reducing the size of the herd), or by reducing the efficiency of the inputs (labor, feed). This is apparent by a decrease in output (milk yield) and causes an economic loss. All of these aspects minimize the economic outcome for the producers.

By combining microeconomic theories with animal health economics, an increased understanding of the importance of the diseases in livestock is formed. The combination of theories that is done in this study illustrates how reduced animal health due to diseases destroy the producer's production factors and cause a disturbance in the production process. By applying the theories above, the effect of animal health on production can be investigated. The theories, together with the collected data, will be analyzed in order to fulfill the study's purpose.

4 Method

Chapter four begins with a description of the research methodology that this work will follow. Thereafter, the material and selection are presented. Lastly, the method of analysis is described.

4.1 Methodology

The purpose of this study was to investigate how animal health affects the production by presenting a general model that can be used to estimate the effect of animal health on production. This study will, therefore, follow a quantitative research methodology with a deductive theory approach. A quantitative methodology was chosen because it enables the measurement of different phenomena, numerical data analysis and emphasis on quantification (Bryman & Bell, 2015). The methodology also allows the researcher to draw generalized conclusions for an entire population using a selected data sample. The importance of the data sample is therefore substantial. Bennett (2003) states that estimates of economic effects due to animal diseases are only as good as the data upon which they are based on, which requires that data collection and analyses will be completed with high precision.

Quantitative methodology is also more structured, compared to qualitative methodology (Bryman & Bell, 2015). This enables scientific replication, where a study can be performed several times (with a different sample, different populations and perhaps similar, but not identical model) and the same results will be obtained (Christensen & Miguel, 2018; Hamermesh, 2007). The confirmation of research findings through replication by other researchers is an essential part of the scientific methodology, and replication can serve as an excellent complement in quality assurance of research (Bryman & Bell, 2015). The risk of dropout or sample errors are crucial factors and could be seen as limitations for quantitative methodology. Dropout is a crucial factor in research because greater loss results in increased risk of error and skew (Bryman & Bell, 2015). Other limitations may be that the conclusions must be taken based on the sample made for a particular area/country and this area are not necessarily exactly like the target area (Baxter, 2008). Therefore, generalized observations can be hard to achieve.

The ontological assumptions for this study are based in the objectivism. Objectivism emphasizes that social actors can, by using their senses, become aware of an objective reality where knowledge is believed to be proven by measurements of various kinds (Bryman & Bell, 2015). The epistemological assumptions are based on what is considered valid knowledge of the social reality. It is sometimes called knowledge theory because it is the doctrine about what one can know and how knowledge can be reached (Bryman & Bell, 2015). For this study, the epistemological assumptions are based on the belief of positivism. Positivism is an approach that often applies methods of natural science to study social reality (Bryman & Bell, 2015). The purpose of theory is to generate hypotheses that can be tested, and hence the deductive research approach is used. Another important principle for the positivism is that science must, and can, be carried out in a way that is value-free, and the researcher should be as objective as possible (Bryman & Bell, 2015).

4.2 Material and selection

The data used in this study was provided from Växa Sverige databases. The data consisted of compiling information from 99 Swedish dairy producers and included both biological facts about the dairy cows on each farm, such as breeds, numbers, somatic cell count, and output produced. Data also consisted of economic outcomes for the dairy producers for 2017. The data were obtained from different sources; i) individual farmers, ii) production animal associations, iii) veterinarians, iv) slaughter companies, and v) a milk laboratory. Sweden has currently 3600 dairy producers, and 2557 are members of Växa Sverige (Bergh, 2018; Växa, 2018). The average farm among Växa Sveriges members has 89.1 dairy cows and producing 10175 kilos ECM with a geometric mean of all herds SCC at 188, compared to the average farm in the sample which has 124.7 cows and producing 10441 kilos energy corrected milk (ECM)/cow and year (see Table 1 in the appendix). The data sample and the variables used in the analysis are further explained in the article manuscript that can be found in the appendix.

The new EU General Data Protection Regulation (GDPR) limited the selection size since the new regulation demand permission for businesses to store personal data (EU 2016/679). The regulation came into force on May 25th, 2018 and aimed to protect all EU citizens from privacy and data breaches. The GDPR have an impact on businesses as it impacts all companies processing personal data on customers, staff, and others. After May 28th companies are forced to have consent from each private person in order to process personal data, the consent must be given in an understandable and easily accessible form, and it also must be as easy to withdraw consent from, as it is to give. For Växa Sverige, GDPR meant that each farmer needed to give consent to store their data and to match the datasets (farm accounting data and biological data).

The individual farmers have been completely anonymous to the researcher which reduces the risk of damaging the privacy of respondents. This is a fundamental ethical prerequisite for business research (Bryman & Bell, 2015). The researcher also remains separated from the subject (person being interviewed) and therefore, remains objective when conducting the research. This is valuable because humans tend to affect each other, and the so-called interviewing effect can occur (Baxter, 2008). Interviewing effect means that the researcher has asked the question in such a way that the respondents' responses have been affected and this can generate systematic errors to the result (Bryman & Bell, 2015).

Using secondary data means reduced time and cost of data retrieval and more time left for analyses (Bryman & Bell, 2015). Also, secondary data often has higher quality, as the sample usually represents the overall population well. However, the use of secondary data can also reduce control over the choice of questions, selection of respondents, and not getting familiar with the material in the same way as if I had formulated the questions myself. Not having control over the data collection may also affect the sample's representativeness and thus the generalizability (Bryman & Bell, 2015).

4.3 Modelling animal health

Knowing the consequences of elevated BTSCC and mastitis, farmers are considered actively working with preventive measures. These measures can be seen as direct investments in animal health. Similar to how firms make certain investment decisions to benefit from the productive capacity of for example labor or capital, I assume that farmers make decisions to benefit from the investment in animal health. From an economic perspective, animal health

could be seen as a production factor just as labor or capital, all of which are crucial for a company to be able to produce an output. Investments in animal health will, therefore, increase the output level. Rising BTSCC is equated with reduced animal health and will in this study be set as a proxy variable. To design the animal health variable, the data for BTSCC was transformed into its inverse value to illustrate that the producer has invested in animal health. The inverse value indicates low BTSCC, and this was equated with improved animal health and set as a proxy variable. The effect of BTSCC can be represented by the following production function:

$$Y=f(A, B, TC, C, L, n, 1/SCC) \quad (2)$$

Where Y represent the level of output, milk kilos ECM/year, A is the constant, B represents the breed, TC is total costs, C is concentrates, L stands for labor, n is numbers of cows and 1/SCC is the inverse value of the BTSCC. The model is further described in the article manuscript found in the appendix.

4.4 Empirical models

Data has been analyzed using the Statistical Package for the Social Science (SPSS) version 24 and with STATA software. The following sections describe the analytical methods. Based on the literature review and the theoretical framework, a production function will be used to investigate how animal health affects the production. The two models presented below are frequently used in economic research to estimate production functions. The first model, Cobb-Douglas, is slightly less complexed compared to the translog model. In order to determine which model is most suitable, Wald's test were used, so that the most accurate model is chosen.

4.4.1 Estimation of production function: Cobb-Douglas

The Cobb-Douglas production function is a widely used model to demonstrate the technological relationship between two or more input factors and the amount of output that can be produced the given inputs (Cobb & Douglas, 1928; Pindyck & Rubinfeld, 2009). The function is especially notable for being the first time an economy-wide production function had been developed, estimated, and presented to the profession for analysis (Mishra, 2010). The most basic expression of the function is:

$$Y=AX_1^{\alpha_1}X_2^{\alpha_2}\dots X_n^{\alpha_n} \quad (3)$$

Where Y represent (aggregate) output, A is a positive constant, $X_1, X_2 \dots X_n$ are input variables. Separately, $\alpha_1, \alpha_2 \dots \alpha_n$ is the partial output elasticities which measure the percentage change of output due to a change in levels of either inputs used in production. Added together, the partial elasticities form the total output elasticity. These values are determined by available technology. The output elasticities are also assumed to be positive constants since all inputs have positive prices (Charnes, Cooper & Schinnar, 1976).

Despite its simplicity, the Cobb-Douglas feature has proven to be quite consistent with estimating the actual relationship between output and input. This, together with high validity has contributed to the continued popularity (Kleyn et al., 2017; Mishra, 2010). The Cobb-Douglas function has several restrictions such as; all inputs are essential for production, and no output can be produced without using at least some of each input. There is also elasticity of substitution between the input variables, but only to a certain extent (Green, 2012). Furthermore, the marginal product of each input is positive which mean that there is a

diminishing marginal return to the inputs, and when the marginal product of input increases with increased use of the other input (Kleyn et al., 2017). The function was, however, not developed based on any knowledge of engineering, technology or management of the production process, and it has been criticized for its lack of foundation (Mishra, 2010). Despite this, the function has advantageous mathematical properties and can provide a relatively accurate description of the economy. The function is often used for the fact that it is linear in the parameters and ordinary least square (OLS) can be used to estimate the variables (Green, 2012). By taking the natural logarithms on both sides of the equation, Cobb–Douglas function form can be estimated as a linear relationship using the following expression:

$$\ln(Y)=\ln(A)+ \alpha_1\ln(X_1)+ \alpha_2\ln(X_2)+ \dots\alpha_n\ln(X_n) \quad (4)$$

4.4.2 Estimation of production function: Transcendental logarithmic

The transcendental logarithmic production function, also called translog function, was proposed by Christensen, Jorgenson, and Lau (1971, 1973). The translog function is an attractive, flexible function with both linear and quadratic terms and the ability to use more than two-factor inputs (Christensen et al., 1973). The two-input translog production function can be written in terms of logarithms as follows equation (5) and re-written as equation (6):

$$\ln(Y)=\ln(A)+ \alpha_1\ln(X_1)+ \alpha_2\ln(X_2)+ \chi\ln^2(X_1/X_2) \quad (5)$$

$$\ln(Y)=\ln(A)+ \alpha_1\ln(X_1)+ \alpha_2\ln(X_2)+ \alpha_{11}\ln(X_1)\ln(X_1)+ \alpha_{22}\ln(X_2)\ln(X_2)+ \alpha_{12}\ln(X_1)\ln(X_2) \quad (6)$$

The translog function is usually the preferred choice for most researchers due to the presence of quadratic terms which allows for nonlinear relationships between the output and inputs and due to its flexibility compared to other forms. Another important feature that characterizes a translog function is that it has no restrictions on substitution elasticity between production factors and is, therefore, more flexible and less restrictive than the Cobb-Douglas (Christensen et al., 1973). Cobb-Douglas is, in general, a specific case of the translog function imposing additivity and homogeneity by restrictions. The interaction variables in the translog function consist of both first derivate, second own-derivate, and second cross-derivate. If the interaction variables were significantly adding something to the model, they need to be included, otherwise, they should be removed (Djurfeldt & Barmark, 2009). If the variables do not contribute significantly, the more basic Cobb-Douglas function should be used instead.

4.4.3 Regression analysis

The logarithmic mathematical form with both translog and Cobb-Douglas functions entails that they can be relatively easily predicted using a regression analysis estimated with ordinary least square, OLS (Djurfeldt, Larsson & Stjärnhagen, 2010). The purpose of a regression analysis is to find out how certain independent variables affect a specific dependent variable (Djurfeldt & Barmark, 2009). The analysis also shows how much of the variation in the dependent variable that can be explained by the independent variable. An OLS analysis requires that the dependent variable is quantitative while the independent variables can be both quantitative and binary, so called-dummy variables. The basic model follows:

$$y=\alpha+ \beta_1x_1+\dots+ \beta_nx_n+ u \quad (7)$$

Where: y is the dependent variable, α is the constant, β is a regression coefficient, x is the independent variable, and u is the residual. The residual has an interesting interpretation and should not be taken as a measurement error. The residual must be constant and normal distributed in order to execute the regression analysis (Djurfeldt, Larsson & Stjärnhagen,

2010). Secondly, the residual consists of the sum of the observed, un-observed and causal factors (including any measurement errors) that determine the dependent variables, and which have not been included among the independent variables. Because of this, the residual consists of more than just statistical noise and even if the measurement errors are equal to zero, the residual can be greater than zero (Djurfeldt & Barmark, 2009).

To evaluate the results of the regression analysis, several values are studied which indicates how well the estimated values describe the data set. The R^2 -value (explanation rate) is between 0 to 1 and illustrates how well the variation in the dependent variable can be explained by the variation in the independent variables (Djurfeldt, Larsson & Stjärnhagen, 2010). The P-value show how significant the variables are, and the probability that the result is random, and the risk of error is reduced. Significance levels are usually divided into three levels, 1%, 5% and 10%. The coefficients of the independent variables show how much they affect the dependent variable and can be both negative and positive. Furthermore, the results also show the standard error which measures how accurate the estimate of the dependent variable is (Djurfeldt & Barmark, 2009).

There are mainly four problems and sources of error that can happen when calculating a regression analysis: miss-specified models, uneven distribution (heteroscedasticity), co-variation between independent variables (multicollinearity) and a non-normal distributed residual (Djurfeldt, Larsson & Stjärnhagen, 2010). Multicollinearity is a problem that occurs when two or more independent variables correlate to each other to a greater extent than the dependent variable (Djurfeldt & Barmark, 2009). This causes the regression coefficients to be incorrectly estimated in the model. If strong multicollinearity exists, the affected variables should be excluded from the analysis. Heteroskedasticity means that the variance in the residual (error term) is not constant, which is that the spread is uneven. This can lead to a misstatement of the significance level and misinterpretation of the result (Djurfeldt, Larsson & Stjärnhagen, 2010). Lastly, deviation from the precondition that the residual must be normally distributed indicate that there is, in fact, a correlation between u and x or y . This means that a causal factor that affects y has not been included in the model and this is called a specification-error (Djurfeldt & Barmark, 2009).

4.4.4 Hypothesis test

In order to test if the increased complexity with the translog function is necessary, or if the simplicity of Cobb-Douglas is more accurate, Wald test was performed and the null hypothesis (H_0) was tested against the alternative (H_1). Rejection of the H_0 signifies that the translog function is the appropriate model, while failure to reject the null hypothesis implies that the Cobb-Douglas function is appropriate. The Wald test (also called Wald-Chi-Squared Test) can be used to test if explanatory variables in a model are significant or not, meaning they add something to the model (Gregory & Veall, 1984). If Wald test shows that the parameters for the variables are zero, it suggests that the variables can be removed without harming the model and H_0 is accepted (Djurfeldt & Barmark, 2009).

4.5 Quality criteria for quantitative research

To achieve quality in quantitative research, there are several research criteria that must be met. If these criteria are not fulfilled, the results and the credibility of the study may be questioned.

4.5.1 Reliability

Reliability is a quality measure that concerns questions about the trustworthiness, consistency, and steadiness of measurements, i.e., whether results be the same if the survey is repeated (Bryman & Bell, 2015). Reliability also depends on the trustworthiness of the used data sources. Stability is essential to assure reliability and researchers must ask the question: have the results been stable over time. Data for this study is collected from sources which are considered to be accurate and reliable, and all variables are tested for heteroscedasticity and multicollinearity to avoid incorrect correlations and wrongful conclusions. The literature on which this study is based on consists of published articles from scientific journals and business administration course literature, which is sufficiently trustworthy and reliable to use for this study.

4.5.2 Validity

One of the most essential quality criteria is validity which concerns whether designed indicators measure what is expected to be measured, i.e., if the use of the invSCC variable measures animal health for dairy cows. Validity is also about the relevance of collected data for the given problem and the measuring instruments ability to measure what it intends to measure (Bryman & Bell, 2015). In order for the study to be as valid as possible, it is essential to use the correct measurement methods and measure what it intends to measure. Accordingly, in order for data to valid, the data collecting process needs to be performed correctly and the data need to be entered correctly in SPSS or STATA. Good secondary sources and source criticism may increase validity. There are different types of validity; internal validity which occurs if the conclusions are credible and are bound to the moment when the study was conducted (Bryman & Bell, 2015). The internal validity can be increased if all external factors that may affect the study are reduced, which in most cases are impossible. There is also construct validity which means that the concepts used when conducting the study are well defined. In this type of validity, the agreement is required on the operationalized forms of a construct and clarifying what we mean when we use the construct (Cohen, Manion & Morrison, 2011). Lastly, there is external validity, also called generalizability or transferability, which refers to what degree the results can be generalized or transferred to other contexts or settings (Bryman & Bell, 2015). With other words; transferability shows if the findings have applicability in another context. The quantitative methodology aims to draw generalized conclusions for an entire population by means of a selection, therefore, compliance of this criteria is crucial for the credibility of the study.

4.5.3 Replicability

The confirmation of research findings through replication by other researchers is an essential part of the scientific methodology, and it can serve as an excellent complement in quality assurance of research (Bryman & Bell, 2015). Replication studies are a natural way to ensure the reliability and validity of earlier results and a quantitative study should be able to be performed several times with the same results. Replication is also a way to minimize the impact that the researcher's skepticism and lack of objectivity contribute to (Cumming 2008; Verhagen & Wagenmakers, 2014). If the replication is not possible, or the results from a replication study differs from the original results, the validity should be questioned.

5 Results

As stated in 4.4, in order to determine the production function, two different models were chosen. The results in Table 1 illustrate a summary of the findings from the different models. The variables used in the analyzes are explained in detail in the appendix. Model 1 and Model 2 are two different Cobb-Douglas production functions. The difference between Model 1 and 2 is the control variable (partSH). The control variable did contribute significantly to the model and needed to be included. Model 3 is the translog production function. The results from the Wald's test showed that the interacting variables in the translog function did not significantly adding anything to the model, and could, therefore, be removed, indicating Cobb-Douglas is the appropriate model. However, the control variable did contribute and consequently needed to be included in the final Cobb-Douglas model (Model 2). Further explanations of the results and the variables are found in the article manuscript.

Table 1. Summary results of the regression models.

Variables	Model 1.	Model 2.	Model 3.
lnTC	-0.103**	-0.082**	-0.133
lnn	-0.027*	0.023	-1.057
lninvSCC	0.108**	0.100**	-0.420
partSH		0.112***	0.118***
lnTC x lnTC			0.099
lnn x lnn			0.001
lninvSCC x lninvSCC			0.045
lnTC x lnn			0.185*
lnTC x lninvSCC			0.152
lnn x lninvSCC			-0.015
Constant	10.368***	10.162***	15.148
R-sq.	0.167	0.307	0.339

***Statistically significant at 1%. **Statistically significant at 5%. *Statistically significant at 10%

6 Discussion

In this chapter, the results and the quality criteria for this study are discussed. Furthermore, the study's empirical contribution to the Swedish dairy industry is presented. Further discussion about the results as well as suggestions for future studies can be found in the article manuscript.

6.1 Result discussion

In this study, I investigated how animal health affects the production by presenting a general model that can be used to estimate the effect of animal health on production. The theoretical framework adopted in this study was based on the fundamental assumption that any business strives to maximize their utility, therefore, controlling the costs and maintaining the efficiency are crucial factors to become profitable in modern farming. It is in the production process that companies create their values and any type of disturbance in this process may lower the amount of output, by increasing the inputs needed or reducing the efficiency of the inputs (Pindyck & Rubinfeld, 2009). In accordance with, e.g., Bennett (2003), McInerney (1996) and Dijkhuizen (1992), reduced animal health due to diseases such as elevated SCC were in this study considered to cause a disturbance in the production function, which prevents outputs from being produced at an average level.

As stated in chapter two, the Swedish dairy industry has undergone significant structural changes over the last three decades, and remaining producers need to optimize their production and their technical efficiency in order to survive. However, the Swedish dairy industry is considered to be the most valuable sector in Swedish agriculture of the products produced for further trading (Bergh, 2018; SCB, 2018). This illustrates the value of remaining producers surviving in the long run. Bennett (2003) argues that the prevention of animal diseases and improving animal health may be critical elements in the development of competitive livestock production systems, I could not agree more. Mastitis costs the Swedish dairy industry nearly 192 million SEK a year and is also the main reason for antibiotic treatments in Swedish livestock production, which illustrates the severity of the disease (Nielsen et al., 2010). Mastitis also results in economic losses to the producers, reduced animal health for the cow and causes problems with the raw milk quality for the dairy processor (Bennett et al., 1999; Carlén, Strandberg & Roth, 2004; Halasa et al., 2009). Overall, reduced animal health due to elevated BTSCC and mastitis affects all the actors on the food chain for dairy products. For an industry that is already exposed to competition and slim economic margins, acute and preventive work on udder health becomes essential issues that the producers face in their daily practice of becoming profitable. Results from previous studies also show that there is a growing concern within the society for animal health which should not be ignored (e.g., D'Silva, 2009; Hansson & Lagerkvist, 2012; Lagerkvist, Hansson, Hess & Hoffman, 2011; Lusk, Nordwood & Prickett, 2007).

For this study, I assumed that a farmer who knows that mastitis causes production inefficiencies, additional costs, and suffering to the cow, can be motivated to act in the prevention of mastitis, even if the BTSCC is not close to a possible penalty level. Based on this assumption, I proposed a model which considered that farmers manage their mastitis preventive strategies as investments in animal health. The investment is seen as an asset in production and modelled as a production input variable. Similar to how firms make certain investment decisions to benefit from the productive capacity of labor, machinery, buildings et

cetera, I assumed that farmers make decisions to benefit from the investment in animal health by reducing the BTSCC and mastitis.

Improving animal health for dairy cows will lead to a higher milk yield per producer which is equal to more milk in the food chain, less milk sorted out due to ban on the sale of milk from cows with mastitis (which lower the proportion of emission/ kilo milk produced), and reduced use of antibiotics which is highly relevant today. It may also generate milk with better quality which enables dairy product development. For the producers, the economic implications of improved animal health by reducing mastitis will lead to lower costs for sick cows, less labor spent on sick cows, higher profit margins, and hopefully, more dairy producers or at least not fewer. For the cows, improved animal health could mean a longer life expectancy since mastitis and high SCC are the most common cause for culling among Swedish dairy cows (Nielsen, 2009). Also, healthier cows have a value for the food sector since poor animal welfare, have a negative externality on food production, and this is an essential aspect for the producers to consider (Ingenbleek & Immink, 2011; Lusk, Nordwood & Prickett, 2007). Overall, healthier cows will help develop a more sustainable and stronger Swedish dairy sector.

To my knowledge, this is the first time that investments in animal health have been seen as an individual production factor, which makes the analysis unique. From the production function it is possible to estimate how inputs can be distributed to maximize output, and since all companies are expected to strive for profit maximization, companies are expected to streamline production as far as possible (Allen et al., 2013). Each dairy farm has a unique production function, which applies to the available technology, and the results of this study provide estimated coefficients for the input variables. Based on the concept presented in the theoretical framework stating that a disturbance in the production process causes a downward shift in the production function (Allen et al., 2013; Pindyck & Rubinfeld, 2009), investments in animal health leads to the opposite. From the results presented in Model 2 (see Table 1), the following regression can be applied to the dairy farms' production (equation 8) and re-written to its original Cobb-Douglas form (equation 9):

$$\ln Y = 10.162 + (\ln TC \times -0.082) + (\ln n \times 0.023) + (\ln invSCC \times 0.1) + (partSH \times 0.112) \quad (8)$$

$$Y = 10.162 TC^{-0.082} n^{0.023} 1/SCC^{0.1} partSH^{0.112} \quad (9)$$

From this equation, calculations can easily be made to illustrate how investments in improved animal health increase the milk yield. The partial output elasticity for the animal health variable $1/SCC$ is 0.1, i.e., if a dairy producer invests in improving animal health by 1%, i.e., lowering the BTSCC with 1%, this generates 0.1% kilos ECM more in output. If the producer improves the health by 10%, it will generate 1% more in output. The average dairy farm in the data sample (see Table 1 in the appendix) produces 10 441 kilos ECM/year and has a mean BTSCC 241 028/ml. If the producer, in this case, invests in improving animal health by lowering the BTSCC with 10% (24 102.8), it will generate 104.41 kilos ECM more. From the results, the producer can see the net effect of investing in animal health and how the revenues are expected to increase if the BTSCC is reduced. However, the economic impact of the investments on the individual producers depends on which payment system the dairy processor has. Eventual premiums in the settlement price may have additional benefits to investments in animal health. For a Swedish dairy producer who delivers milk to Arla Foods, an investment in animal health, which reduces BTSCC from 200 001 to less than 200 000, will generate +1% of the settlement price. This together with the additional output produced due to the investment, gives increased revenue, as exemplified above.

The results from this study can be used as the foundation for evidence-based counseling aimed to help farmers become more efficient with the management of mastitis. The tool developed in this thesis can help improve decision making, therefore, the tool developed in this thesis was more simple and straightforward. On the basis of the results from this study, Swedish dairy producers can become aware of the importance of lowering the BTSCC in order to improve animal health and the profitability of the farm. For the Swedish dairy industry, improving animal health entails several positive aspects in addition to being seen as a step towards creating a more sustainable food chain. The variable $1/SCC$ represent the revenue side in the production function, and the investments of improving animal health (decrease BTSCC) will represent the cost side. If the farmer invests in lowering the BTSCC, this will have a dynamic effect on the other factors as well. Advisory organizations such as Växa Sverige can help the dairy producers determine whether a 10% investment in improved animal health is worth the costs that are added.

The Cobb-Douglas function has several restrictions, as stated earlier, such as; all inputs are essential for production, and no output can be produced without using at least some of each input (Kleyn et al., 2017; Mishra, 2010). This is consistent with the results of this study. The proxy variable for animal health is one of the most important coefficients in the function, significantly more important than the number of cows (n) and TC. Investing in animal health is, therefore, an essential part of milk production. Further discussion regarding the results can be found in the article manuscript.

6.2 Method discussion

In one way or another, there will always be threats to the quality of all types of studies. In this study, the explanation rate (R-squared) of the regression model is relatively low (around 30%, see Table 1), which I am aware of. However, this study is based on existing data, which means that the rate cannot be improved. It may be a risk that data has been entered incorrectly in SPSS, or that imprecisions occur when data has been merged into new variables. This may have affected the result and lead to errors. To prevent this, the data has been analyzed both using SPSS and with STATA in consultation with both supervisor and assistant supervisor which reduced the risk of mistakes.

Modelling the inverse value of a disease as an input variable requires that data is reliable. For example, Bennett (2003) argues that estimates of economic effects due to animal diseases are only as good as the data upon which they are based on, which requires that data collection and analyses will be executed with high precision. The designed indicator ($1/SCC$) is considered to measure animal health for dairy cows. The variable was developed based on previous literature on udder health and mastitis, and the results of this study imply that there is a significant economic value for investing in animal health. Furthermore, this study is based on secondary data, which usually has a higher quality than primary data (Bryman & Bell 2013). This is because the sample can represent the total population better, as data has been analyzed and processed earlier. By using secondary data, more time was spent on data processing and analyzes, which increases the certainty that the results are valid.

The sample for this study was as representative as possible; however, the representativeness may be questioned, this is discussed in further depth in the article manuscript. The new GDPR slowed down the data selection and the sample was prevented from being completely random. All of the farm owners that could provide consent before the start-up date of this study were included in the data set. But the dairy farms that did not leave the consent in time were not

included which makes the sample non-random. Although it was technically possible to access data from the entire population, this was limited by the time aspect. Due to the non-random selection, sampling error may exist, and this may limit the generalization of the results.

As stated in Chapter 4, the translog production function is usually the preferred choice for most researchers, but the increased complexity with the translog function was not necessary for this study. The results from the Walds test showed that the interacting variables were equal to zero, indicating that the variables can be removed without any harm to the model fit since the variables are not contributing significantly. Choosing the most accurate method increases validity. Data for this study were collected from sources which are considered to be accurate and reliable. The models were evaluated for heteroscedasticity, but there were no indications that there is a problem with heteroscedasticity in neither of one (see pages 38-40). Furthermore, the models were tested for multicollinearity, and there were no indications that there is a problem with multicollinearity in neither of Model 1 or Model 2. For Model 3 multicollinearity exists as a part of the translog model since the high correlation between the interacting variables results in an inability to estimate the coefficients precisely.

The model developed in this study can be generalized to other countries with similar production systems, especially within the European Union where the maximum BTSCC is set at 400 000 (Council Directive 92/46/EEC). The model can also be generalized to other livestock-production systems such as cattle production, pork or others, but in such instances, the animal health variable needs to be adjusted for diseases of these production animals. This model also allows for replication which strengthens the validity of the results.

Other methods could have been used as complement to this study, such as in-depth interviews with dairy farm owners or veterinarian, but in order to maintain objectivity, this was excluded. The individual farmers have been completely anonymous which reduces the risk of damaging the privacy of respondents, no ethical issues have arisen.

7 Conclusions

In his thesis, a microeconomic framework was established for developing a model to investigate how animal health affects the production for Swedish dairy producers. By modelling the effect of animal health as an input variable, it shows how the production function can change when animal health is improved, which will affect the output produced. The modelling also concretizes the economic value of improved animal health, and investment in animal health is seen as an asset in production.

The Swedish dairy industry is considered the most valuable sector in Swedish agriculture of the products that are produced for further trade. Therefore, it is highly relevant that the remaining companies maintain profitability.

The findings from this study showed that investments in animal health play a significant role in the production process of dairy farming. Also, improving udder health can play a significant role in achieving an efficient and economically rewarding milk production. This study contributes to the existing literature by presenting a new way of modelling the effect of animal health, compared to what has been previously done. Seeing animal health as a production factor has not been previously done. The model presented in this study can be used as a simple tool for evidence-based counseling in order to help dairy farms become more efficient with the management of mastitis, by lowering the BTSCC and improving animal health and the profitability of the farm. Improving animal health entails several positive aspects in addition to being seen as a step towards creating a more sustainable food chain.

Bibliography

Literature and publications

Allen, B.W., Weigelt, K., Doherty, N.A. & Mansfield, E. (2013). *Managerial Economics Theory, Application, and Cases*. 8th ed. New York: W.W Norton & Company, Inc.

Appelby, M.C., Mench, J.A., Olsson, I.A.S. & Hughes, B.O. (2010). *Animal Welfare*. Wallingford: CAB International.

Bar, D., Tauer, L., Bennett, G., González, R., Hertl, J., Schukken, Y., Schulte, H., Welcome, F. & Gröhn, Y. (2008). The Cost of Generic Clinical Mastitis in Dairy Cows as Estimated by Using Dynamic Programming. *Journal of Dairy Science*, vol. 91(6), pp. 2205-2214.

Barkema, H.W., Schukken, Y.H., Lam, T.J.G.M., Beiboer, M.L., Benedictus, G. & Brand, A. (1998). Management Practices Associated with Low, Medium, and High Somatic Cell Counts in Bulk Milk. *Journal of Dairy Science*, vol. 81, pp. 1917-1927.

Bayvel, A.C.D. (2004). Science-based animal welfare standards: The international role of the Office International des Epizooties. *Animal Welfare*, vol. 13, pp. 163-169.

Bennett, R. (1992). The use of 'economic' quantitative modelling techniques in livestock health and disease-control decision making: a review. *Preventive Veterinary Medicine*, vol. 13(1), pp. 63-76.

Bennett, R., Christiansen, K. & Clifton-Hadley, R. (1999). Preliminary estimates of the direct costs associated with endemic diseases of livestock in Great Britain. *Preventive Veterinary Medicine*, vol. 39(3), pp. 155-171.

Bennett, R. (2003). The 'Direct Costs' of Livestock Disease: The Development of a System of Models for the Analysis of 30 Endemic Livestock Diseases in Great Britain. *Journal of Agricultural Economics*, vol. 54(1), pp. 55-71.

Blake, A., Sinclair, M. & Sugiyarto, G. (2003). Quantifying the Impact of Foot and Mouth Disease on Tourism and the UK Economy. *Tourism Economics*, vol. 9(4), pp. 449-465.

Bryman, A. & Bell, E. (2015). *Business research methods*. 4th ed. Oxford: Oxford University press.

Carlén, E., Strandberg, E. & Roth, A. (2004). Genetic Parameters for Clinical Mastitis, Somatic Cell Score, and Production in the First Three Lactations of Swedish Holstein Cows. *Journal of Dairy Science*, vol. 87(9), pp. 3062-3070.

Charnes, A., Cooper, W.W. & Schinnar, A.P. (1976). A theorem on homogeneous functions and extended Cobb–Douglas forms. *Proc. Natl. Acad. Sci.*, vol. 73(10), pp. 3747-3748.

Chi, J., VanLeeuwen, J., Weersink, A. & Keefe, G. (2002). Direct production losses and treatment costs from bovine viral diarrhea virus, bovine leukosis virus, *Mycobacterium avium* subspecies paratuberculosis, and *Neospora caninum*. *Preventive Veterinary Medicine*, vol. 55(2), pp. 137-153.

- Christensen, G. & Miguel, E. (2018). Transparency, Reproducibility, and the Credibility of Economics Research. *Journal of Economic Literature*, vol. 56(3), pp. 920-980.
- Christensen, L.R., Jorgenson, D.W. & Lau, L.J. (1971). Conjugate Duality and the Transcendental Logarithmic Production Function, *Econometrica*, vol. 39(4), pp. 225-256.
- Christensen, L.R., Jorgenson, D.W. & Lau, L.J. (1973). Transcendental Logarithmic Production Frontiers. *The Review of Economics and Statistics*, vol. 55(1), p. 28.
- Cobb, C.W. & Douglas, P.H. (1928). A Theory of Production. *American Econ. Rev.*, vol. 18, pp. 139-165.
- Cumming, G. (2008), Replication and p Intervals: p Values Predict the Future only Vaguely, but Confidence Intervals Do Much Better. *Psychological Science*, vol 3, pp. 286-30.
- Degraves, F.J. & Fetrow, J. (1993). Economics of Mastitis and Mastitis Control. *Veterinary Clinics of North America-Food Animal Practice*, vol. 9(3), pp. 421-434.
- Dehove, A., Commault, J., Petitclerc, M., Teissier, A. & Mace, J. (2012). Economic analysis and costing of animal health: A literature review of methods and importance. *Revue Scientifique Et Technique-Office International Des Epizooties*, vol. 31(2), pp. 605-617.
- Dijkhuizen, A.A. & Morris, R.S. (1997). *Animal Health Economics- Principles and Applications*. Sydney: Post Graduate Foundation.
- Dijkhuizen, A.A. (1992). *Modelling animal health economics. Inaugural speech*. Wageningen Agricultural University, p. 28.
- Djurfeldt, G. & Barmark, M. (2009). *Statistisk verktygslåda 2 - multivariat analys*. 1th ed. Lund: Studentlitteratur AB.
- Djurfeldt, G., Larsson, R. & Stjärnhagen, O. (2010). *Statistisk verktygslåda 1*. 2nd ed. Lund: Studentlitteratur AB.
- D'Silva, J. (2009). Modern farming practices and animal welfare. In Gunnings, J., Holm, S. & Kenway, I. (Eds), *Ethics, Law and Society, Vol. IV*, Ashgate, Aldershot, pp. 7-18.
- Emanuelson, V. & Persson, E. (1984). Studies on somatic cell counts from Swedish dairy cows. *Acta Agric. Scand.*, pp. 33-34.
- European Economic Community (1992). *Council Directive 92/46/EEC of 16 June 1992 laying down the health rules for the production and placing on the market of raw milk, heat-treated milk and milk-based products*. Commission Document 39L0046. June 1992. EEC, Brussels, Belgium.
- European Community (1998). *Council directive 98/58/EC of 20 July 1998 concerning the protection of animals kept for farming purposes Official Journal L221*. July 1998. EC, Brussels, Belgium.
- Farm Animal Welfare Council. (1979). *Five Freedoms*. London: Farm Animal Council.

Farm Animal Welfare Council. (2009). *Farm Animal Welfare in Great Britain: Past, Present Future*. London: Farm Animal Council.

General Data Protection Regulation (EU) No 2016/679 of the European Parliament and of the Council on the Protection of Natural Persons with Regard to the Processing of Personal Data and on the Free Movement of Such Data (GDPR) OJ L 119/1, April 2016. Brussels, Belgium.

Gill, R., Howard, W.H., Leslie, K.E. & Lissemore, K. (1990). Economics of mastitis control. *Journal of Dairy Science*, vol. 72, pp. 3340–3348.

Green, W. H. (2012). *Econometric Analysis*. 7th Edition. New York: Pearson.

Gregory, A.W. & Veall, M.R. (1984). *On formulating wald tests of nonlinear restrictions*. Working Paper No. 8401, University of Western Ontario, January, 1984.

Hagnestam-Nielsen, C. & Østergaard, S. (2009). Economic Impact of Clinical Mastitis in a Dairy Herd Assessed by Stochastic Simulation using Different Methods to Model Yield Losses. *Animal*, vol. 3(2), pp. 315-328.

Hagnestam-Nielsen, C., Emanuelson, U., Berglund, B. & Strandberg, E. (2009). Relationship between somatic cell count and milk yield in different stages of lactation. *Journal of Dairy Science*, vol. 92(7), pp. 3124-3133.

Halasa, T., Huijps, K., Østerås, O. & Hogeveen, H. (2007). Economic effects of bovine mastitis and mastitis management: a review. *Veterinary Quarterly*, vol.29, pp. 18-31.

Halasa, T., Nielen, M., Huirne, R. & Hogeveen, H. (2009). Stochastic bio-economic model of bovine intramammary infection. *Livestock Science*, vol. 124(1-3), pp. 295-305.

Hamann, J. (2002). Relationships Between Somatic Cell Count and Milk Composition. *Bulletin of the International Dairy Federation*, vol. 372, pp. 56-59.

Hamermesh, D. (2007). Viewpoint: Replication in economics. *Canadian Journal of Economics/Revue Canadienne D'économique*, vol. 40(3), pp. 715-733.

Hansson, H., Szczensa-Rundberg, M. & Nielsen, C. (2010). Which preventive measures against mastitis can increase the technical efficiency of dairy farms?. *Animal*, vol. 5(04), pp. 632-640.

Hansson, H. & Johan Lagerkvist, C. (2012). Measuring farmers' attitudes to animal welfare and health. *British Food Journal*, vol. 114(6), pp. 840-852.

Hardeng, F. & Edge, V.L. (2001). Mastitis, Ketosis, and Milk Fever in 31 Organic and 93 Conventional Norwegian Dairy Herds. *Journal of Dairy Science*, vol. 84(12), pp. 2673-2679.

Harmon, R. J. (2001). *Somatic Cell Counts: A Primer*. National Mastitis Council 40th Annual Meeting Proceedings, pp. 3-9.

Hogan, J. (2005). *Human Health Risks Associated with High SCC Milk*. In: Proceedings of the British Mastitis Conference 2005, Warwickshire, U.K.

Holtkamp, D.J., Zimmerman, J.K., Yoder, T.L., Wang, C.B., Mowrer, C.F., Kliebenstein, J.E. & Haley, C. (2013). Assessment of the economic impact of porcine reproductive and respiratory syndrome virus on United States pork producers. *Journal of Swine Health and Production*, vol. 21(2), pp. 72-84.

Hillerton, J.E. (1991). *The effect of milk frequency on mastitis*. Proceedings of the 4th British Mastitis Conference, Stoneleigh.

Hortet, P. & Seegers, H. (1998). Loss in Milk Yield and Related Composition Changes Resulting from Clinical Mastitis in Dairy Cows. *Preventive Veterinary Medicine*, vol. 37(14), pp. 1-20.

Huijps, K., Lam, T. & Hogeveen, H. (2008). Costs of mastitis: facts and perception. *Journal of Dairy Research*, vol. 75(01).

Huijps, K. (2009). *Economic decisions in mastitis management*. Dissertation, Faculty of Veterinary Medicine, Utrecht University, the Netherlands.

Ingenbleek, P. T.M. & Immink, V.M. (2011). Consumer decision making for animal-friendly products: Synthesis and implications. *Animal Welfare*, vol. 20, pp. 11-19.

Jones G.M. & Bailey T.L. (2009). *Understanding the basics of mastitis*. Virginia Cooperative Extension, Publication 404-233. Virginia Tech, USA, pp. 1-5.

Kossaibati, M. A. & Esslemont, R. J. (1997). The Costs of Production Diseases in Dairy Herds in England. *The Veterinary Journal*, vol. 154(1), pp. 41-51.

Kleyn, J., Arashi, M., Bekker, A. & Millard, S. (2017). Preliminary testing of the Cobb-Douglas production function and related inferential issues. *Communications in Statistics: Simulation and Computation*, pp. 469-488.

Kvapilík, J., Hanuš, L., Bartoň, M., Klimešová P. & Rouba, L. (2015). Mastitis of dairy cows and financial losses: an economic meta-analysis and model calculation. *Bulg. J. Agric.*, vol. 21, pp. 1092-1105.

Ladewig, J. (2008). The role of the veterinarian in animal welfare. *Acta Veterinaria Scandinavica*, vol. 50(1).

Lagerkvist, C.J., Hansson, H., Hess, S. & Hoffman, R. (2011). Provision of Farm Animal Welfare: Integrating Productivity and Non-Use Values. *Applied Economic Perspectives and Policy*, vol. 33(4), pp. 484-509.

Lusk, J.L. & Norwood, F.B. (2011). Animal Welfare Economics. *Applied Economic Perspectives and Policy*, vol. 33(4), pp. 463-483.

Lusk, J.L., Nordwood, F.B. & Prickett, R.W. (2007). Consumer Preferences for Farm Animal Welfare: results of a nationwide telephone survey. *Animal Welfare*, vol. 19, pp. 335-347.

- McArt, J., Nydam, D. & Overton, M. (2015). Hyperketonemia in early lactation dairy cattle: A deterministic estimate of component and total cost per case. *Journal of Dairy Science*, vol. 98(3), pp. 2043-2054.
- McInerney, J.P., Howe, K. & Schepers, J. (1992). A framework for the economic analysis of disease in farm livestock. *Preventive Veterinary Medicine*, vol. 13(2), pp. 137-154.
- McInerney, J.P. (1996) Old economics for new problems – livestock disease: Presidential address. *Agril Econ.*, vol. 47(3), pp. 295-314.
- McInerney, J.P. (1991). *Cost-benefit analysis of livestock disease: a simplified look at its economic foundations*. In Proc. 6th Symposium of the International Society for Veterinary Epidemiology and Economics. Ottawa, 12-16 August. Canadian Veterinary Medical Association, Ottawa, pp. 149-153.
- Mevius, D., Sampimon, O. & Sol, J. (2005). Antimicrobial Resistance in Mastitis Organisms as a Public Health Threat. In: Hogeveen, H. (Ed.) *Proceedings of 4th IDF International Dairy Conference: Mastitis in Dairy Production - Current Knowledge and Future Solutions*. Wageningen: Wageningen Academic Publishers. pp. 102-108.
- Miller, R.H., Paape, M.J, Fulton, L.A. & Schutz, M.M. 1993. The relationship of somatic cell count to milk yields for Holstein heifers at first calving. *Journal of Dairy Science*, vol. 76, pp. 728-733.
- Miller, G. & Dorn, C. (1990). Costs of dairy cattle diseases to producers in Ohio. *Preventive Veterinary Medicine*, vol. 8(2-3), pp. 171-182.
- Mishra, S. (2010). A Brief History of Production Functions. IUP. *Journal of managerial Economics*, pp. 6-35.
- Neumann, E., Kliebenstein, J., Johnson, C., Mabry, A., Zimmerman, Bush, . . . Green. (2005). Assessment of the economic impact of porcine reproductive and respiratory syndrome on swine production in the United States. *Journal of the American Veterinary Medical Association*, vol. 227(3), pp. 385-392.
- Nielsen, C., Østergaard, S., Emanuelson, U., Andersson, H., Berglund, B. & Strandberg, E. (2010). Economic consequences of mastitis and withdrawal of milk with high somatic cell count in Swedish dairy herds. *Animal*, vol. 4(10), pp. 1758-1770.
- Nielsen, C. (2009). *Economic Impact of Mastitis in Dairy Cows*. Doctoral Thesis, Faculty of Veterinary Medicine and Animal Science Department of Animal Breeding and Genetics, Swedish University of Agricultural Sciences, Uppsala.
- Niemi, J., Bergman, P., Ovaska, S., Sevón-Aimonen, M. & Heinonen, M. (2017). Modelling the Costs of Postpartum Dysgalactia Syndrome and Locomotory Disorders on Sow Productivity and Replacement. *Frontiers in Veterinary Science*, vol. 4.
- Paarlberg, P. L., Hillberg-Seitzinger, J.G. Lee, A. & Mathews, Jr. K.H. (2008). *Economic Impacts of Foreign Animal Disease*. Economic Research Report Number 57. Economic Research Service, U.S. Department of Agriculture, Washington, DC.

- Paarlberg, P.L. (2014). *Updated Estimated Economic Welfare Impacts of Porcine Epidemic Diarrhea Virus (pedv)*, pp. 14-4.
- Pindyck, R. & Rubinfeld, D. (2009). *Microeconomics*. New Jersey: Pearson Education.
- Reneau, J.K. (1985). *Using DHI somatic cell counts*. National Mastitis Council Annual Meeting Proceeding, p. 73.
- Rollin, E., Dhuyvetter, K.C. & Overton, M.W. (2015). The cost of clinical mastitis in the first 30 days of lactation: An economic modelling tool. *Preventive Veterinary Medicine*, vol. 122(3), pp. 257-264.
- Rushton, J. (2009). *The Economics of Animal Health and Production*. MPG Books Ltd: UK, Bodmin.
- Saloniemi, H. (1995). Use of somatic cell count in udder health work. In: *The bovine udder and mastitis*. (Eds. Sandholm, M., Honkanen-Buzalski, T., Kaartinen, L. & Pyörälä, S.) University of Helsinki, Faculty of medicine, Helsinki, pp. 105-110.
- Santos, J.E.P., Cerri, R.L.A., Ballou, M.A., Higginbotham, G.E. & Kirk, J.H. (2004). Effect of timing of first clinical mastitis occurrence on lactational and reproductive performance of Holstein dairy cows. *Anim. Reprod. Sci.*, vol. 80, pp. 31-45.
- Schepers, A.J., Lam, T.J.G.M., Schykken, Y.H., Wilmink, J.B. & Hanekamp W.J. (1997). Estimation of variance components for somatic cell counts to determine thresholds for uninfected quarters, *Journal of Dairy Science*, vol. 80, pp. 1833-1840.
- Schepers, J.A. & Dijkhuizen, A.A. (1991). The Economics of Mastitis and Mastitis Control in Dairy Cattle - a Critical Analysis of Estimates Published Since 1970. *Preventive Veterinary Medicine*, vol. 10(3), pp. 213-224.
- Schoenbaum, M. & Terry Disney, W. (2003). Modelling alternative mitigation strategies for a hypothetical outbreak of foot-and-mouth disease in the United States. *Preventive Veterinary Medicine*, vol. 58(1-2), pp. 25-52.
- Schrick, F.N., Hockett, M.E., Saxton, A.M., Lewis, M.J., Dowlen, H.H. & Oliver, S.P. (2001). Influence of Subclinical Mastitis During Early Lactation on Reproductive Parameters. *Journal of Dairy Science*, vol. 84, pp. 1407-1412.
- Seegers, H., Fourichon, C. & Beaudeau, F. (2003). Production Effects Related to Mastitis and Mastitis Economics in Dairy Cattle Herds. *Veterinary Research*, vol. 34(5), pp. 475-491.
- Stott, A.W., Lloyd, J., Humphry, R.W. & Gunn, G.J. (2003). A linear programming approach to estimate the economic impact of bovine viral diarrhea (BVD) at the whole-farm level in Scotland. *Preventive Veterinary Medicine*, vol. 59(1), pp. 51-66.
- Truong, D.B., Goutard, F.L., Bertagnoli, S., Delabouglise, A., Grosbois, V. & Peyre, M. (2018). Benefit–Cost Analysis of Foot-and-Mouth Disease Vaccination at the Farm-Level in South Vietnam. *Frontiers in Veterinary Science*, vol. 5(26).

Verhagen, J. & Wagenmakers, E. (2014). Bayesian Tests to Quantify the Result of a Replication Attempt. *Journal of Experimental Psychology: General*, vol. 143, pp. 1457–1475.

West, J. W. (2003). Effects of Heat-Stress on Production in Dairy Cattle. *J. Dairy Sci.*, vol. 86, pp. 2131-2144.

Williams, R. (1999). A compartmentalized model for the estimation of the cost of coccidiosis to the world's chicken production industry. *International Journal for Parasitology*, vol. 29(8), pp. 1209-1229.

World Organization for Animal Health, OIE. (2011). *Terrestrial Animal Health Code*. 28th ed. Paris: OIE.

Yalcin, C. (2000). Cost of Mastitis in Scottish Dairy Herds with Low and High Subclinical Mastitis Problems. *Turkish Journal of Veterinary and Animal Sciences*, vol. 24(5), pp. 465-472.

Yalcin, C., Stott, A.W., Logue, D.N. & Gunn, J. (1999). The Economic Impact of Mastitis Control Procedures Used in Scottish Dairy Herds with High Bulk-Tank Somatic Cell Counts. *Preventive Veterinary Medicine*, vol. 41(2/3), pp. 135-149.

Östensson, K. (1993). *Trafficking of leukocytes and immunoglobulin isotypes in the bovine udder. Studies of milk, lymph and blood from cows with healthy and mastitic mammary glands*. Thesis, Swedish University of Agricultural Science, Uppsala.

Østergaard, S., Chagunda, M., Friggens, N., Bennedsgaard, T. & Klaas, I. (2005). A Stochastic Model Simulating Pathogen-Specific Mastitis Control in a Dairy Herd. *Journal of Dairy Science*, vol. 88(12), pp. 4243-4257.

Internet

Arla Foods (2018). *Arlapris 2017*. Available: <https://www.arla.se/om-arla/agare/arlapris/2017/> [2018-12-21]

Bergh, A. (2018). *Marknadsrapport mjölk och mejeriprodukter utvecklingen till och med 2018*. Jönköping: Jordbruksverket (Rapport) Available: <https://www.jordbruksverket.se/download/18.114a33071628876461090a02/1522929812136/Marknadsrapport%20mejeri%202018.pdf> [2018-11-21]

SCB (Statistiska Centralbyrån) a. (2018). *Jordbruksstatistisk sammanställning 2018*. Available: https://www2.jordbruksverket.se/download/18.25e61c93165e6d4904743531/1537271565516/JS_2018v2.pdf [2018-10-29]

Växa Sverige (2018). *Husdjursstatistik 2018*. Available: <https://www.vxa.se/globalassets/dokument/statistik/husdjursstatistik-2018.pdf> [2018-10-29]

Appendix. Article manuscript

Modelling animal health as a production factor in dairy production - a case of Swedish dairy agriculture

Livestock diseases are an undesirable contribution to the production process. Diseases lower the producer's profit margins by reducing animal health and causing unnecessary suffering to the animals. For dairy production, mastitis is the most severe disease and causes both reduced animal health, increased costs, and reduced milk yield. The purpose of this study was to investigate how animal health affects the production by presenting a general model that can be used to estimate the effect of animal health on production. Empirical data consisted of farm-level accounting data of Swedish dairy producers combined with biological facts of the dairy herds. A multiple regression analysis was used to investigate how animal health affects the production. Results show that animal health plays a significant role in the production process of dairy farming. The study illustrates how the production function will statistically change when animal health is improved. The model developed in this study can be a useful tool for evidence-based counseling in order to help dairy farms become more efficient with the management of mastitis. The developed model can also be generalized and used for other livestock production systems to investigate how animal health affects production.

Introduction

Diseases in livestock play a crucial role in modern farming and affects the production in several different ways by reducing the efficiency and causing unnecessary suffering to the animals (e.g., Bennett, 2003; Chi, VanLeeuwen, Weersink & Keefe, 2002; Dijkhuizen, 1992; McInerney, 1991; McInerney, Howe & Schepers, 1992). From a microeconomic perspective, livestock diseases represent an undesirable effect in the process of converting production inputs to outputs by destroying the basic resources and thereby lowering profit margins (Chi et al., 2002; Hansson, Szczensa-Rundberg & Nielsen, 2010). Because of diseases, losses arise to the producers through lower product quality and/or lower product level. There are also direct costs, e.g., veterinary costs, medicine, increased culling et cetera, and the total economic cost may vary between production systems, diseases, regions, and countries (McInerney, 1996; Dijkhuizen, 1992).

Numerous different analytical methods have been used to estimate losses and disease costs. Several studies have used costs-benefits analysis to evaluate different preventive strategies and control programs (e.g., Groenendaal, Zagmutt, Patton & Wells, 2016; Valle et al., 2005; Truong et al., 2018), some have designed stochastic dynamic models (Niemi et al., 2017; Schoenbaum & Disney, 2003), budget models (e.g., Holtkamp et al., 2013, Chi et al., 2002, Shulz & Tonsor, 2015), dynamic bioeconomic models or different simulation models (e.g., Blake, Sinclair & Sugiyarto, 2003; Cao, Klijn & Gleeson, 2003; McArt, Nydam & Overton, 2015; Rushton, 2009). The common denominator is, however, that impaired animal health cause direct losses with visible and invisible signs, e.g., abortion, deaths, reduced efficiency through reduced fertility, feed conversion, lower yields, and reduced product quality.

For dairy production, mastitis represents one aspect of animal health and the disease is considered to be the most common and costly production disease in dairy herds worldwide (e.g., Carlén, Strandberg & Roth, 2004; Halasa et al., 2007; Holland, Hadrich & Lombard, 2015; Seegers et al., 2003). While mastitis usually is treatable, economic losses are

substantial. The disease is associated with reduced milk yield but also reductions in output price due to penalties for high somatic cell count (SCC). Mastitis is also associated to veterinary and treatment costs, additional labor and increased culling rate (e.g., Bar et al., 2008; Hagnestam-Nielsen & Østergaard, 2009; Huijps, Lam, & Hogeveen, 2008). Mastitis, therefore, interferes with the economic outcomes of dairy farms (Hansson, Szczensa-Rundberg & Nielsen, 2010). Reducing the frequency of mastitis is necessary in order to develop competitive dairy production systems, but improved animal health and minimizing the use of antibiotics are also essential arguments (Bennett, 2003). Mastitis can be recognized by increasing SCC which become present in rising numbers as the immune system responds to a mastitis-causing pathogen (Huijps & Hogeveen, 2007). In most countries in the European Union, there is a maximum limit on the bulk tank SCC (BTSCC) allowed in milk produced for human consumption, followed by penalties and premiums which may have a significant impact on the milk revenue for the producers (Council Directive 92/46/EEC).

Previous calculations of the economic loss of mastitis show significant variations in the results between different studies. Economic losses differ between €3 to €120 per cow and case of mastitis depending on the level of BTSCC and the main component of loss is reduction in milk yield which is estimated even higher for subclinical mastitis (SCM) (e.g., Bar et al., 2008; Halasa et al., 2007; Huijps, Lam & Hogeveen, 2008; Kossabati & Esslemont, 1997; Seegers et al., 2003; Østergaard et al., 2005; Yalcin, 2000). Cost per case of mastitis has been estimated to vary between €278 and \$444 (Hagnestam-Nielsen and Østergaard, 2009; Rollin, Dhuyvetter & Overton, 2015). Past literature regarding the effect on the milk yield show that rising SCC have a significant negative effect on the milk yield (e.g., Halasa et al., 2009; Hagnestam-Nielsen & Østergaard, 2009; Hagnestam et al., 2007; Korhonen & Kaartinen, 1995). The yield is reduced with 4% when the level rises from 250 000-500 000, 7% when rises to 700 000 and close to 20% when exceeding 1000 000, this is equal to 200-750 kilos energy corrected milk (ECM)/cow and year.

Knowing the consequences of elevated SCC and mastitis, farmers are considered actively working with preventive measures. These measures can be seen as direct investments in animal health. Similar to how firms make certain investment decisions to benefit from the productive capacity of for example labor or capital, I assume that farmers make decisions to benefit from the investment in animal health. From an economic perspective, animal health could be seen as a production factor just as labor or capital, all of which are crucial for a company to be able to produce an output. Investments in animal health will, therefore, increase the output level.

The purpose of this study was to investigate how animal health affects the production by presenting a general model that can be used to estimate the effect of animal health on production. In this study, the absence of mastitis will represent animal health, in order to provide estimates that can support strategic decision-making and motivate and dimension preventive work against poor udder health and mastitis. By modelling the effect of animal health as an input variable, it illustrates how the production can change when animal health is improved, which will affect the output produced. The model developed in this study is meant to be used in practice by farmers, veterinarians, and other advisors, or form the basis for future research. This study contributes to the existing literature by presenting a new way of modelling the effect of animal health, compared to what has been previously done. Seeing animal health as a production factor has not been previously done. By doing so, the economic value of improved animal health are concretized, and investments in animal health are seen as an asset in production.

In relation to this study, previous research has used other methods when estimating the effect of animal health. Only a few studies (e.g., Bennett, 1992, 2003; Chi et al., 2002; Yalcin et al., 1999; Yalcin, 2000) have used production functions when analyzing the direct effect of livestock diseases, as suggested by McInerney (1991). By not using production functions when estimating the impact from diseases, the results may be incorrect and essential conclusions may be overlooked. The results from earlier published literature regarding mastitis vary significantly and estimates from, e.g., simulation models are higher than estimates calculated from other methods which may question the validity of the analysis methods (e.g., Bar et al., 2008; Hagnestam-Nielsen & Østergaard, 2009). Variation in the results of previous estimates may also be explained by different studies using different cost categories in their calculations (e.g., Bennett et al., 1999; Halasa et al., 2007; Huijips et al., 2008; Rollin et al., 2015). Other reasons for the variation seem to be the origin of data or the definition of mastitis (Nielsen, 2009). For this reason, there is a need for a general model to estimate the effect of animal health. This is essential as it becomes difficult to replicate the studies when no general models have been designed and used. Estimating the effect of animal health on the production can both help to analyze the situation, limit the losses and determine the extent of the loss to be avoided, in order to improve the profitability of the farm. The findings from this study can serve as a basis for future research on the effect of animal health. The results can also be used for evidence-based counseling aimed to help farmers become more efficient with the management of mastitis. Based on the results of this study, Swedish dairy producers can become aware of the importance of lowering the BTSCC in order to improve the profitability of the farm by improving animal health.

Material and methods

Data sources

Data was provided from Växa Sverige and consisted of information obtained from different sources; i) individual farmers, ii) production animal associations, iii) veterinarians, iv) slaughter companies, and v) a milk laboratory. Sweden has currently 3600 dairy producers, and 2557 are members of Växa Sverige (Bergh, 2018; Växa, 2018). The average farm among Växa Sveriges members has 89.1 dairy cows and producing 10175 kilos energy corrected milk (ECM)/cow and year, with a geometric mean of all herds BTSCC at 188. Compared to the average Swedish dairy producer, who has 91 cows and producing 8900 kilos ECM.

The individual producers in the sample were selected non-randomly, and the sample could have been greater. However, the new EU General Data Protection Regulation (GDPR) came into force on May 25th and limited the selection size since the regulation demand permission for businesses to store personal data (EU 2016/679). For Växa Sverige, GDPR meant that each farmer needed to give consent to store their data and to match the datasets (farm accounting data and biological data). Due to the new GDPR, the data selection was prevented from being completely random, and 99 consents were collected until the start of this study.

Table 1 present the descriptive statistics on the input and output variables used in the empirical analysis. The standard deviations are rather large, indicating a large amount of variation in the sample, as shown by the minimum and maximum values of the normal distribution in Table 1. The average farm in the sample has 124.7 cows and producing 10441 kilos ECM/cow and year which is slightly higher than the average Swedish producer ($P=0.007$) and the average member of Växa Sverige ($P=0.001$). The average BTSCC is 241 compared to 188 for the average member of Växa Sverige ($P=0.001$). The difference is significant, but there could be a risk of selection bias.

Table 1: Descriptive statistics: input-output variables on participating dairy farms (n=99).

Variables	Mean	St. dev.	Min	Max
<i>Output</i>				
Kilos ECM (output)	10441	955.1	8061	13071
<i>Inputs</i>				
Number of cows (n)	124.69	100.10	22.30	536.50
Total costs (TC, Swedish krona)	572.93	124.96	364.44	1040.40
Bull tank somatic cell count (BTSCC)	241.03	54.51	96.83	398.3
Inverse SCC (invSCC)	0.0043	0.0010	0.0025	0.0103
Proportion SH (partSH)	0.431	0.312	0.00	1.00

Farm accounting data.

To construct the input variables needed to estimate the production function, detailed farm level accounting data were used. Each of the 99 farms was represented by one year of economic outcomes and deflated by national consumer price index to 2017(=100) as a base (SCB, 2018). The dataset consisted of direct costs, which are directly related to dairy production and not carried by other business areas. In this category, seed, manure, fertilizer, feed, replacement, counseling, semen, contract work, and veterinarian are included. Though, this may vary depending on how the farmers reported the events. Furthermore, the data set included labor costs and cost for concentrates. Moreover, the data set also included indirect costs, involving leasehold, insurances, lawyer, diesel and other common costs related to more business areas than milk production only. Since the opportunity costs for, for example, leasehold, was unknown, and the costs categories include more than milk production costs, the indirect costs were not included in the analysis. This in order to limit errors in the analysis.

The farm-level accounting data were supplemented with farm-specific biological facts about the herds. Total production outputs, as recorded through the monthly test-day recordings, were aggregated into a single measure of produced milk (ECM/cow and year). Furthermore, breed compositions, number of cows, and average BTSCC were included as input variables. The data regarding BTSCC was compiled over 12 months and mean value per producer was used. Furthermore, data included mainly three groups of different breeds; Swedish Red (SR) geometric mean 0.515, Swedish Holstein (SH) 0.433 and one group with other breeds, 0.052. The distribution between the breeds slightly differ from the Swedish average where SH is the most common and represent 0.55 of the entire population ($P=0.001$) (Bergh, 2018). The biological data was gathered and compiled for three years but were matched against the accounting year (2017) for each farm.

Modelling animal health

Diseases affect the production in several ways as stated in the introduction, representing an undesirable effect in the production process. The somatic cell count is an indicator of potential mastitis, and it is associated with reduced animal health by causing suffering to the cow. The costs and yield losses associated to the disease, and the milk payment system involving premiums and penalties depending on the BTSCC levels, affects the extent to which the farmer invests in preventive care to increase animal health. Assuming farmers want to work efficiently when transforming production inputs to output, investments in animal health are made, but to what degree is not considered in this study. To design the animal health variable, the data for BTSCC was transformed into its inverse value to illustrate that the producer has invested in animal health. The inverse value indicates low BTSCC, and this was

equated with improved animal health and set as a proxy variable. The variable $1/SCC$ was then used as an input production factor representing the revenue side in the production function. The model considers that the BTSCC may affect the other input variables in the production function as well as the output and given everything else alike, investments in animal health, by improving udder health in different ways which lower the BTSCC, will affect the output. In this case, the animal health production function is formed to measure how the output is the resulting benefit from investments in animal health (decreased prevalence of mastitis and lower the BTSCC), and the function can, therefore, be termed a benefit function, in accordance with Bennett (1992, 2003).

Methods for estimating the production function

The analytical framework applied in this study builds on the literature clarifying the importance of using production functions in estimating the effect of animal health. The equations presented below are described as log-linear functions since both the dependent and the independent variables have been log-transformed. Therefore, the functions can be relatively easily predicted using regression analysis. The analysis consisted of three steps with two different methods; Cobb-Douglas and translog production function. If the choice of the functional form is incorrect, the results may be biased. The most commonly used production function is the Cobb-Douglas, which has advantageous mathematical properties and can demonstrate the technical relationship between two or more input factors and the output, but it has been criticized for its simplicity (Kleyn et al., 2017; Mishra, 2010). The second model is the translog function, which is considered to be more flexible compared to the Cobb-Douglas function (Christiansen, Jorgenson & Lau, 1971, 1973). Translog functions are used to examine input substitution separability and aggregation. By adding interaction terms (by joint estimates) to the function, a greater understanding of the relationship between explanatory variables and explained variable can be achieved. As a starting point for analysis, a basic Cobb-Douglas function was specified in the form of:

$$\ln(Y) = \ln(A) + \ln(TC) + \ln(n) + \ln(invSCC) \quad (1)$$

Where $\ln(Y)$ is the logarithm of output milk (kilo/ECM) that the farmers produce in a year, and A is the intercept (constant). The production input variables were $\ln(TC)$, the logarithm of total costs for dairy production, which consists of the direct costs presented above, added together with labor costs and costs for concentrates. The variable $\ln(n)$ consists of the logarithm of numbers of cows and $\ln(invSCC)$ is the proxy variable used to illustrating investments in animal health as an input variable. The Cobb-Douglas was estimated based on OLS-technique.

As a second step, the Cobb-Douglas function in Model 1 was developed to include a control variable for the breed composition of the herd; partSH. The Holstein ratio was introduced as a control variable, indicating the proportion of Holstein cows in the herd since cows of the Holstein breed are more prone to get mastitis (Hagnestam-Nielsen & Østergaard, 2009; Halasa et al., 2007; Nielsen et al., 2010). The control variable was used to exclude that a relationship between the variables only exists as a causal effect and the interesting relationship was therefore streamlined. The mathematical structure of the function is displayed in the following equation:

$$\ln(Y) = \ln(A) + \ln(TC) + \ln(n) + \ln(invSCC) + \text{partSH} \quad (2)$$

Lastly, a three-input translog production function was estimated by extending Model 2. The translog function has both linear and quadratic terms and the ability to use more than two-factor inputs. Six interaction variables were included to see if the interaction is present with the possibility of substitution and if this in any way affects the results. This function consists

of both first derivatives $\ln(TC)$, $\ln(n)$, $\ln(invSCC)$, own second derivatives $\ln(TC)\ln(TC)$, $\ln(n)\ln(n)$, $\ln(invSCC)\ln(invSCC)$ and cross-section derivatives $\ln(TC)\ln(n)$, $\ln(TC)\ln(invSCC)$, $\ln(n)\ln(invSCC)$. Lastly, the function also included the same control variable as Model 2. The mathematical structure of Model 3 is displayed in the following equation:

$$\ln Y = \ln(A) + \ln(TC) + \ln(n) + \ln(invSCC) + \ln(TC)\ln(TC) + \ln(n)\ln(n) + \ln(invSCC)\ln(invSCC) + \ln(TC)\ln(n) + \ln(TC)\ln(invSCC) + \ln(n)\ln(invSCC) + \text{partSH} \quad (3)$$

The input variables have been selected based on the ground that they reflected general production factors and based on what previous studies have used when estimating production functions for dairy farms (e.g., Ahmad & Bravo-Ureta, 1995; Alvarez & Arias, 2004; Saha & Jain, 2004). These studies have used Cobb-Douglas and translog functions to estimate technical efficiency for dairy farms. Input variables have been cows, concentrates, buildings, veterinary expenses, labor (both hired and unpaid family labor), crop expenses such as fertilizer, seed, machinery, and roughage expenses incurred in producing on the farm. Data for indirect costs could have been used in the analysis to include costs for machinery and other joint business costs. Due to the uncertainty about eventual non-consistent accounting, the total costs only consisted of direct costs, and indirect costs were excluded in order not to avoid any measurement errors and bias to the results. The choice of variables, therefore, means that the analysis is done within the framework of fixed resources. The effect from cleaning the variables will be that only production from the cow stall is modelled, everything else is counted as given. In all three models, variables with $P < 0.1$ were considered to be statistically significant.

Test for determining production function

In order to test if the increased complexity with the translog function is necessary, or if the simplicity of Cobb-Douglas is enough, Wald test was performed, and the null hypothesis (H_0) was tested against the alternative (H_1). Rejection of the H_0 signifies that the translog function is the appropriate model, while failure to reject the null hypothesis implies that the Cobb-Douglas function is appropriate. The Wald test (also called Wald-Chi-Squared Test) can be used to test if explanatory variables in a model are significant or not, meaning they add something to the model (Gregory & Veall, 1984). If Wald test shows that the parameters for the variables are zero, it suggests that the variables can be removed without harming the model and H_0 is accepted.

Results

The results from the regression analyzes are presented in Tables 3-5 below. The R-squared values were rather low for Model 1 (16.7%) but were almost doubled for Model 2 (30.7%), and Model 3 (33.9%). All of the models were evaluated for heteroscedasticity, but there were no indications that there is a problem with heteroscedasticity for neither of the models (Model 1 Ch^2 0.36, $\text{Prob} > \text{Chi}^2$ 0.5469, Model 2 Chi^2 0.39, $\text{Prob} > \text{Chi}^2$ 0.5317, and Model 3 Chi^2 0.18, $\text{Prob} > \text{Chi}^2$ 0.6732). Furthermore, the models were tested for multicollinearity, and there were no indications of this for Model 1 (VIF between 1.015-1.160) or Model 2 (VIF between 1.030-1.173). For Model 3 multicollinearity exists as a part of the translog model because of the high correlation between the interacting variables, which results in an inability to estimate the coefficients precisely.

The results from the Walds test performed for Model 3 showed that the interacting variables were not significantly different from zero, indicating that the variables can be removed without any harm to the model fit since the variables are not contributing significantly. H_0 was accepted, and therefore, the Cobb-Douglas function was considered more suitable

compared to the translog function for data analysis. The control variable partSH however, was contributing significantly and thus needed to be included in the regression.

In Model 1 (see Table 2), the coefficients for total costs (-0.103), and numbers of cows (-0.027) were significantly negatively associated with the dependent variable, which is in conflict with the logic of Cobb-Douglas functions. The animal health variable invSCC (0.108) was significantly positively associated with the dependent variable. For Model 3, total costs (-1.33) were negatively associated with the dependent variable in its first derivate and became positively associated in its own second derivate (0.099), however not statistically significantly. Numbers of cows (-1.057), and inverse SCC (-0.420) were both negatively associated in the first derivate and positively associated in their second derivate (0.001, 0.045), but not statistically significantly. The control variable partSH was significantly associated with the dependent variable at 1% level. Only one of the cross-section interaction variables were significantly positively associated with output ($\ln(\text{TC})\ln(n)=0.185$), the other two were not significantly associated ($\ln(\text{TC})\ln(\text{invSCC})=0.152$, and $\ln(n)\ln(\text{invSCC})=-0.015$).

Based on the results of the Walds test, Model 2 (presented in Table 3), was the most suitable model for investigating how animal health affects the production. Model 2 also estimated a Cobb-Douglas function but for this model a control variable was included, see Table 3. The results of Model 2 indicate that total costs (-0.82) still were significantly negatively associated with the dependent variable. Numbers of cows (0.023) became positive but not significantly associated with the output. The invSCC (0.100), and the control variable partSH (0.112) were significantly positively associated with the dependent variable. The model did not show significant support for omitted variables ($F=0.45$, $\text{Prob}>F=0.71163$), H_0 was accepted.

Table 2. Results from Model 1: Cobb-Douglas production function

Variables	Coef.	Std. Err.	P	[95% Conf.	Interval]
lnTC	-0.103	0.045	0.024	-0.193	-0.014
lnn	-0.027	0.182	0.075	-0.003	0.056
lninvSCC	0.108	0.038	0.005	0.033	0.182
Con	10.368	0.384	0.000	9.607	11.130
R-sq.	0.167				

Table 3. Results from Model 2: Cobb-Douglas production function including control variable

Variables	Coef.	Std. Err.	P	[95% Conf.	Interval]
lnTC	-0.082	0.042	0.053	-0.165	-0.001
lnn	0.023	0.014	0.102	-0.005	0.050
lninvSCC	0.100	0.035	0.005	0.032	0.169
partSH	0.112	0.026	0.000	0.061	0.163
Con	10.162	0.355	0.000	9.457	10.866
R-sq.	0.307				

Table 4. Results from Model 3: Translog production function including control variable.

Variables	Coef.	Std. Err.	P	[95% Conf.	Interval]
lnTC	-1.33	2.376	0.576	-6.0154	3.388
lnn	-1.057	0.882	0.234	-2.809	0.696
lninvSCC	-0.420	2.132	0.844	-4.657	3.816
partSH	0.118	0.029	0.000	0.061	0.174
lnTC x lnTC	0.099	0.162	0.542	-0.223	0.420
lnn x lnn	0.001	0.020	0.963	-0.039	0.041
lninvSCC x lninvSCC	0.045	0.125	0.719	-0.202	0.292
lnTC x lnn	0.185	0.102	0.072	-0.017	0.387
lnTC x lninvSCC	0.152	0.207	0.813	-0.258	0.562
lnn x lninvSCC	-0.015	0.065	0.463	-0.115	0.146
Con	15.148	11.503	0.191	-7.712	38.01
R-sq.	0.339				

Discussion

In this study, I investigated how animal health affects the dairy production by using the inverse value of SCC as an input variable in the production function. The results imply that there was a significant economic value for investing in animal health because the coefficient for invSCC was positive and statistically significant. The proxy variable for animal health is one of the most important coefficients in the function, significantly more important than the number of cows (n) and total costs (TC). Investing in animal health is, therefore, an essential part of milk production. This study contributes to the existing literature by presenting a new way of modelling the effect of animal health. By doing so, the economic value of improved animal health is concretized, and investments in animal health are seen as an asset in production.

One of the most critical factors influencing the costs of mastitis is production losses (Bar et al., 2008; Halasa et al., 2007; Huijps, Lam & Hogeveen, 2008). In accordance with the literature mentioned above, this study clearly shows that the presence of a disease (SCM) and reduced animal health results in output loss and additional input use. Consistent with the results from, e.g., Halasa et al. (2009), Hagnestam-Nielsen and Østergaard (2009), rising BTSCC has a significant negative effect on the milk yield and as stated in the introduction, impaired animal health cause direct losses, reduced efficiency and reduced product quality (e.g., Groenendaal et al., 2016; Holtkamp et al., 2013; Valle et al., 2005; Rushton, 2009). For an industry that is already exposed to competition and slim economic margins, acute, and preventive work on udder health becomes essential issues that the producers face in their daily practice of becoming profitable. In a global perspective, reduced animal health in dairy cows leads to extensive inefficiencies, including a higher proportion of emissions per kilos of milk produced. Hence improved animal health is an important sustainability aspect for dairy production.

Quantitative modelling of animal health is not an entirely new phenomenon. However, using a disease to design a production input variable is. For example, Bennett (1990, 2003) modelled production functions but placed a disease as increased costs to determine output loss. This illustrated how higher treatment and prevention expenditures resulted in lower losses, but the function did not highlight animal health as an individual variable. This study differs from the previous ones by providing a new way of modelling animal health as an individual production factor. In this case, a flexible and simple model is necessary to represent dairy production and investments in animal health. To my knowledge, no authors have emphasized the productive value of animal health, which makes the analysis unique.

The negative coefficients for the total costs (in Model 1 and 2 presented in Table 2 and 3) and the variable numbers of cows (in Model 1) indicates that these variables have an inverse impact on the dependent variable which conflicts with the logic of Cobb-Douglas production functions. However, the result of a negative capital coefficient is not completely rare in the applied research (Felipe and Adams, 2005; Felipe and Fisher, 2003; Latruffe et al., 2004; Lucas, 1970; Manevska-Tasevska, 2013); some even see it as standard findings. It has been argued that it could be an aggregation problem that occurs when combining production functions, and that faulty function specification may be the underlying problem in such cases (Felipe & Fisher, 2003). Felipe and Adams (2005) claim that the Cobb-Douglas function is expected to generate a positive coefficient when inputs are represented as quantities and that the regression works better without a time trend. However, when a value with information of the price is included (as the total costs variable for this study), the results may turn out to be negative. This opens up to the discussion if a new model needs to be developed to justify a negative (or zero) elasticity for capital? However, that is beyond the scope of this study.

The three models' R-squared values are considered quite low, but the issue has been highlighted by Carpentier and Letort (2012) and Bareille and Letort (2018) argue that it reflects heterogeneity among farmers production conditions. The low R-squared value may be increased with a larger size of the data sample and or more input variables in the production function. Almost all estimated parameters in Model 1 and Model 2 are significantly different from zero at the 0.05 level. The size of the selected data sample can be considered too small, and when comparing the features of the selected sample to the average Swedish dairy farm, it showed that there were significant differences even though the variables were normally distributed. The difference in average milk yield produced may be because it varies how measurements have been made. Either the milk delivered to the processor is measured, or the milk is measured at the farm and includes milk that will be sorted out. The farms in the sample were also larger in the form of more cows per farm, higher productivity, and higher BTSCC compared to the average farm in the population. Lastly, the proportion of Holstein cows in the herd per farm were lower compared to the Swedish average farm. The differences between the features of the sample compared to the entire population may affect the representativeness of the sample and thus affect the generalizability. However, all dairy producers have unique characteristics, and the selection reflects the population to some extent. The sample contained the dairy producers that voluntarily gave consent to Växa Sverige for their participation. As the new GDPR came into force during this study, the possibility of further data collection was limited, and the analyzes have been carried out based on the given conditions.

Using farm accounting data imposes some limitations. For example, the data regarding labor is not as detailed as it could have been. Labor was, therefore, a difficult factor to consider, partly because quantifying the hourly price depends on several aspects, such as who is working, the owner or employees, and their education. Secondly, the owners record the entries differently. Some of the owners book their working hours under the category labor costs, while others do not report their work under this category but only the hours worked by external workers (hired labor). Furthermore, the indirect costs, as mentioned earlier, were excluded from the analysis since they did not include the opportunity costs for example leasehold. Excluding the category means that the total costs may lack certain aspects, but if the category were included, it might have biased the results. The available data made no distinction between organic and conventional dairy, which may also have affected the results. Both the level of production inputs and output difference between the production systems along with the conditions for organic dairy farmers which faces longer withdrawal of milk

from cows treated with antibiotics compared to conventional producers (Hagnestam-Nielsen and Østergaard, 2009; Nielsen et al., 2010). Organic dairy farmers also receive a higher settlement price for milk delivered, which raises the question if organic dairy producers invest more in improved animal health compared to conventional ones?

There are also other variables that are known to affect the milk output and have been used in production functions in the past. For example, McInerney (1992) and Yalcin et al. (1999) used the type of milking system and the size of the farm (hectare) when estimating production functions. Furthermore, machinery, buildings and more detailed costs of veterinary treatment have been used for analysis (e.g., Ahmad & Bravo-Ureta, 1995; Alvarez & Arias, 2004; Chi et al., 2002; Saha & Jain, 2004). Yalcin (2000) also included preventive measures in the regression analysis when estimating the production effect of mastitis. Since this study is based on existing data, information, as described above, was unfortunately not available. However, adding more variables into a regression analysis can also result in it becoming harder to interpret what value affects what in the model. The model developed in this study is meant to be used in practice by farmers, veterinarians, and other advisors, or form the basis for future research and was therefore designed simpler with fewer input variables.

A low value of invSCC does not necessarily mean that farmers have not made any investments in animal health, but it indicates that elevated/high BTSCC occur on the farm and this will affect output and milk revenue. This study, however, does not consider how investments in animal health have been made but it is assumed that farmers make decisions to benefit from the investment in animal health by reducing the BTSCC and mastitis. This is done similarly to Bareille and Letort (2018) which argued that crop biodiversity could be modelled as production factors. A farmer who knows that mastitis causes production inefficiencies, additional costs, and suffering to the cow, can be motivated to act in the prevention of mastitis, even if the BTSCC is not close to a possible penalty level. Healthy cows have economic value but not necessarily a market price. Better milk quality and higher milk yield, however, does. By generating higher income from sold milk, bonuses from lower BTSCC, less additional costs for the producer, fewer labor hours spent on treating sick cows, fewer cullings, more calves, along with other benefits of healthy cows.

$$Y = 10.162TC^{0.082}n^{0.023}1/SCC^{0.1}partSH^{0.112} \quad (4)$$

The findings from this study can be applied empirically on dairy producers production to illustrate how investments in improved animal health increase the milk yield. In the equation presented above (4), the results from Model 2 is presented in its Cobb-Douglas form. By using the partial output elasticity for 1/SCC (0.1), a 10% improvement in animal health (i.e., lowering the BTSCC with 10%) generate 1% more kilos ECM in output. The average farm in the data sample (see Table 1) produces 10 441.8 kilos ECM/year and has a mean BTSCC 241 028/ml. If the producer, in this case, invests in improving animal health by lowering the BTSCC with 10% (24 102.8), it will generate 104.418 kilos ECM more. By a marginal analysis, the additional benefit from investments in animal health is illustrated, indicating that there is a significant economic value of investing. However, the economic impact of the investments on the individual producers depends on which payment system the dairy processor has. The estimates from this study can be used in practice by advisors or veterinarians for the purpose of motivating preventive work against poor udder health and mastitis.

The model developed in this study can be generalized to other countries with similar production systems, especially within the European Union where the maximum BTSCC is set at 400 000 (Council Directive 92/46/EEC). The model can also be generalized to other livestock-production systems such as cattle production, pork or others. However, in such instances, the animal health variable needs to be adjusted for diseases of these production animals instead of mastitis. This model also allows for replication which strengthens the validity of the results. Replications studies are unusual in economic research, but there is a growing interest in enhancing research transparency and reproducibility (Christensen & Miguel, 2018; Hamermesh, 2007). Neither of the models suffers from heteroscedasticity, multicollinearity or omitted variables which strengthens the results.

In future research, the cost categories mentioned above can be advantageously used to see if the result is different or if the R-squared value gets higher. Also, dividing the farmers into conventional/organic or other management groups may result in different results since the conditions differ between the production systems. A further natural step for future research would also be to do a cost-benefit analysis on dairy farms investments in animal health, where the cost of improving animal health by investments in lowering the BTSCC is compared to the benefit from it.

Conclusions

The results indicate that investments in animal health play a significant role in the production process of dairy farming. The findings suggest that, for dairy farms, improving udder health (keeping everything else alike), can play a significant role in achieving an efficient and economically rewarding milk production. The actual economic impact of animal health on the individual dairy producer, however, depends on which payment system the processor has, which differ between countries and regions.

The model developed in this study can be a useful tool for evidence-based counseling in order to help dairy farms become more efficient with the management of mastitis, by lowering the BTSCC and improving animal health and the profitability of the farm. The study illustrates how the production function will statistically change when animal health is improved. The model also provides a basis for future research on the economic effect of animal health.

References

- Ahmad, M. & Bravo-Ureta, B. (1995). An Econometric Decomposition of Dairy Output Growth. *American Journal of Agricultural Economics*, vol. 77(4), p. 914.
- Alvarez, A. & Arias, C. (2004). Technical efficiency and farm size: a conditional analysis. *Agricultural Economics*, vol. 30(3), pp. 241-250.
- Bar, D., Tauer, L., Bennett, G., González, R., Hertl, J., Schukken, Y., Schulte, H., Welcome, F. & Gröhn, Y. (2008). The Cost of Generic Clinical Mastitis in Dairy Cows as Estimated by Using Dynamic Programming. *Journal of Dairy Science*, vol. 91(6), pp. 2205-2214.
- Bareille, F. & Letort, E. (2018). How do farmers manage their crop biodiversity through time? A dynamic acreage allocation model with productive feedback. *European Review of Agricultural Economics*, vol. 45(4), pp.617-639.
- Bennett, R. (1992). The use of ‘economic’ quantitative modelling techniques in livestock health and disease-control decision making: a review. *Preventive Veterinary Medicine*, vol. 13(1), pp. 63-76.
- Bennett, R., Christiansen, K. & Clifton-Hadley, R. (1999). Preliminary estimates of the direct costs associated with endemic diseases of livestock in Great Britain. *Preventive Veterinary Medicine*, vol. 39(3), pp. 155-171.
- Bennett, R. (2003). The ‘Direct Costs’ of Livestock Disease: The Development of a System of Models for the Analysis of 30 Endemic Livestock Diseases in Great Britain. *Journal of Agricultural Economics*, vol. 54(1), pp. 55-71.
- Blake, A., Sinclair, M. & Sugiyarto, G. (2003). Quantifying the Impact of Foot and Mouth Disease on Tourism and the UK Economy. *Tourism Economics*, vol. 9(4), pp. 449-465.
- Cao, L., Klijn, N. & Gleeson, T. (2003). Modelling the effects of a temporary loss of export markets in case of a foot and mouth disease outbreak in Australia: Preliminary results on costs to Australian beef producers and consumers, *Australasian Agribusiness Review*, University of Melbourne, Melbourne School of Land and Environment, vol. 11.
- Carlén, E., Strandberg, E. & Roth, A. (2004). Genetic Parameters for Clinical Mastitis, Somatic Cell Score, and Production in the First Three Lactations of Swedish Holstein Cows. *Journal of Dairy Science*, vol. 87(9), pp. 3062-3070.
- Carpentier, A. & Letort, E. (2012). Accounting for heterogeneity in multicrop microeconomic models: implications for variable input demand modeling. *American Journal of Agricultural Economics*, vol. 94, pp. 209–224.
- Chi, J., VanLeeuwen, J., Weersink, A. & Keefe, G. (2002). Direct production losses and treatment costs from bovine viral diarrhea virus, bovine leukosis virus, *Mycobacterium avium* subspecies paratuberculosis, and *Neospora caninum*. *Preventive Veterinary Medicine*, vol. 55(2), pp. 137-153.

Christensen, G. & Miguel, E. (2018). Transparency, Reproducibility, and the Credibility of Economics Research. *Journal of Economic Literature*, vol. 56(3), pp. 920-980.

Dijkhuizen, A.A. (1992). *Modelling animal health economics. Inaugural speech*. Wageningen Agricultural University, p. 28.

European Economic Community (1992). *Council Directive 92/46/EEC of 16 June 1992 laying down the health rules for the production and placing on the market of raw milk, heat-treated milk and milk-based products. Commission Document 39L0046*. June 1992. EEC, Brussels, Belgium.

Felipe, J. & Fisher, F.M. (2003) Aggregation in Production Functions: What Applied Economists Should Know. *Metroeconomica*, vol. 54(2-3), pp. 208-262.

Felipe, J. & Adams, F.G. (2005). A Theory of Production: The Estimation of the Cobb-Douglas Function: A Retrospective View. *Eastern Economic Journal*, vol. 31(3), pp. 427-445.

General Data Protection Regulation (EU) No 2016/679 of the European Parliament and of the Council on the Protection of Natural Persons with Regard to the Processing of Personal Data and on the Free Movement of Such Data (GDPR) OJ L 119/1, April 2016. Brussels, Belgium.

Gregory, A.W. & Veall, M.R. (1984). *On formulating wald tests of nonlinear restrictions*. Working Paper No. 8401, University of Western Ontario, January, 1984.

Groenendaal, H., Zagmutt, F.J., Patton, E. & Wells, S.J. (2015). Cost-benefit analysis of vaccination against *Mycobacterium avium* ssp. *paratuberculosis* in dairy cattle, given its cross-reactivity with tuberculosis tests. *Journal of Dairy Science*, vol. 98(9), pp. 6070-6084.

Hagnestam, C., Emanuelson, U. & Berglund, B. (2007). Yield Losses Associated with Clinical Mastitis Occurring in Different Weeks of Lactation. *Journal of Dairy Science*, vol. 90(5), pp. 2260-2270.

Hagnestam-Nielsen, C. & Østergaard, S. (2009). Economic Impact of Clinical Mastitis in a Dairy Herd Assessed by Stochastic Simulation using Different Methods to Model Yield Losses. *Animal*, vol. 3(2), pp. 315-328.

Hagnestam-Nielsen, C., Emanuelson, U., Berglund, B. & Strandberg, E. (2009). Relationship between somatic cell count and milk yield in different stages of lactation. *Journal of Dairy Science*, vol. 92(7), pp. 3124-3133.

Halasa, T., K. Huijps, O. Østerås, & H. Hogeveen, (2007). Economic effects of bovine mastitis and mastitis management: a review. *Veterinary Quarterly*, vol.29, pp. 18-31.

Halasa, T., Nielen, M., Huirne, R. & Hogeveen, H. (2009). Stochastic bio-economic model of bovine intramammary infection. *Livestock Science*, vol. 124(1-3), pp. 295-305.

Hamermesh, D. (2007). Viewpoint: Replication in economics. *Canadian Journal of Economics/Revue Canadienne D'économique*, vol. 40(3), pp. 715-733.

- Hansson, H., Szczensa-Rundberg, M. & Nielsen, C. (2010). Which preventive measures against mastitis can increase the technical efficiency of dairy farms?. *Animal*, vol. 5(04), pp. 632-640.
- Holland, J., Hadrich, J., Wolf, C. & Lombard, J. (2015). Economics of Measuring Costs Due to Mastitis-Related Milk Loss. *Agricultural and Applied Economics Association*, 2015 AAEE & WAEA Joint Annual Meeting, July 26-28, San Francisco, California, 2015.
- Holtkamp, D.J., Zimmerman, J.K., Yoder, T.L., Wang, C.B., Mowrer, C.F., Kliebenstein, J.E. & Haley, C. (2013). Assessment of the economic impact of porcine reproductive and respiratory syndrome virus on United States pork producers. *Journal of Swine Health and Production*, vol. 21(2), pp. 72-84.
- Huijps, K., Lam, T. & Hogeveen, H. (2008). Costs of mastitis: facts and perception. *Journal of Dairy Research*, vol. 75(01).
- Huijps, K. & Hogeveen, H. (2007). Stochastic Modelling to Determine the Economic Effects of Blanket, Selective, and No Dry Cow Therapy. *Journal of Dairy Science*, vol. 90(3), pp. 1225-1234.
- Kossaibati, M. A. & Esslemont, R. J. (1997). The Costs of Production Diseases in Dairy Herds in England. *The Veterinary Journal*, vol. 154(1), pp. 41-51.
- Kleyn, J., Arashi, M., Bekker, A. & Millard, S. (2017). Preliminary testing of the Cobb-Douglas production function and related inferential issues. *Communications in Statistics: Simulation and Computation*, pp. 469-488.
- Latruffe, L., Balcombe, K., Davidova, S. & Zawalinska, K. (2004) Determinants of Technical Efficiency of Crop and Livestock Farms in Poland. *Applied Economics*, vol. 36(12), pp. 1255-1263.
- Lucas, R. (1970). Capacity, Overtime, and Empirical Production Functions. *American Economic Review*, pp. 23-27.
- Manevska-Tasevska, G. (2013) Farmers' Knowledge Attributes Contribute to Attaining Higher Farm Technical Efficiency: A Transition Economy Case, *The Journal of Agricultural Education and Extension*, vol. 19(1), pp. 7-19.
- McArt, J., Nydam, D. & Overton, M. (2015). Hyperketonemia in early lactation dairy cattle: A deterministic estimate of component and total cost per case. *Journal of Dairy Science*, vol. 98(3), pp. 2043-2054.
- McInerney, J.P., Howe, K. & Schepers, J. (1992). A framework for the economic analysis of disease in farm livestock. *Preventive Veterinary Medicine*, vol. 13(2), pp. 137-154.
- McInerney, J.P. (1996) Old economics for new problems – livestock disease: Presidential address. *Agri Econ.*, vol. 47(3), pp. 295-314.
- McInerney, J.P. (1991). *Cost-benefit analysis of livestock disease: a simplified look at its economic foundations*. In Proc. 6th Symposium of the International Society for Veterinary

Epidemiology and Economics. Ottawa, 12-16 August. Canadian Veterinary Medical Association, Ottawa, pp. 149-153.

Mishra, S. (2010). A Brief History of Production Functions. IUP. *Journal of managerial Economics*, pp. 6-35.

Nielsen, C., Østergaard, S., Emanuelson, U., Andersson, H., Berglund, B. & Strandberg, E. (2010). Economic consequences of mastitis and withdrawal of milk with high somatic cell count in Swedish dairy herds. *Animal*, vol. 4(10), pp. 1758-1770.

Nielsen, C. (2009). *Economic Impact of Mastitis in Dairy Cows*. Doctoral Thesis, Faculty of Veterinary Medicine and Animal Science Department of Animal Breeding and Genetics, Swedish University of Agricultural Sciences, Uppsala.

Niemi, J., Bergman, P., Ovaska, S., Sevón-Aimonen, M. & Heinonen, M. (2017). Modelling the Costs of Postpartum Dysgalactia Syndrome and Locomotory Disorders on Sow Productivity and Replacement. *Frontiers in Veterinary Science*, vol. 4.

Rollin, E., Dhuyvetter, K.C. & Overton, M.W. (2015). The cost of clinical mastitis in the first 30 days of lactation: An economic modelling tool. *Preventive Veterinary Medicine*, vol. 122(3), pp. 257-264.

Rushton, J. (2009). *The Economics of Animal Health and Production*. MPG Books Ltd: UK, Bodmin.

Saha, A.K. & Jain, D.K. (2004). Technical Efficiency of Dairy Farms in Developing Countries: A Case Study of Haryana State, India, *Indian Journal of Agricultural Economics*, Bombay, vol. 59(3), pp. 588-599.

Schepers, J.A. & Dijkhuizen, A.A. (1991). The Economics of Mastitis and Mastitis Control in Dairy Cattle - a Critical Analysis of Estimates Published Since 1970. *Preventive Veterinary Medicine*, vol. 10(3), pp. 213-224.

Schoenbaum, M. & Disney, W.T. (2003). Modelling alternative mitigation strategies for a hypothetical outbreak of foot-and-mouth disease in the United States. *Preventive Veterinary Medicine*, vol. 58(1-2), pp. 25-52.

Schulz, L. & Tonsor, G. (2015). Assessment of the economic impacts of porcine epidemic diarrhea virus in the United States. *Journal of Animal Science*, vol. 93(11), pp. 5111-5118.

Seegers, H., Fourichon, C. & Beaudeau, F. (2003). Production Effects Related to Mastitis and Mastitis Economics in Dairy Cattle Herds. *Veterinary Research*, vol. 34(5), pp. 475-491.

Seegers, H., Fourichon, C. & Beaudeau, F. (2003). Production Effects Related to Mastitis and Mastitis Economics in Dairy Cattle Herds. *Veterinary Research*, vol. 34(5), pp. 475-491.

Truong, D.B., Goutard, F.L., Bertagnoli, S., Delabougli, A., Grosbois, V. & Peyre, M. (2018). Benefit–Cost Analysis of Foot-and-Mouth Disease Vaccination at the Farm-Level in South Vietnam. *Frontiers in Veterinary Science*, vol. 5(26).

Valle P. S., Skjerve E., Martin S.W., Larssen R.B., Østera O. & Nyberg O. (2005). Ten years of bovine virus diarrhoea virus (BVDV) control in Norway: a cost-benefit analysis. *Prev. vet. Med.*, vol. 72, pp. 189–207.

Yalcin, C. (2000). Cost of Mastitis in Scottish Dairy Herds with Low and High Subclinical Mastitis Problems. *Turkish Journal of Veterinary and Animal Sciences*, vol. 24(5), pp. 465-472.

Yalcin, C., Stott, A.W., Logue, D.N. & Gunn, J. (1999). The Economic Impact of Mastitis Control Procedures Used in Scottish Dairy Herds with High Bulk-Tank Somatic Cell Counts. *Preventive Veterinary Medicine*, vol. 41(2/3), pp. 135-149.'

Østergaard, S., Chagunda, M., Friggens, N., Bennedsgaard, T. & Klaas, I. (2005). A Stochastic Model Simulating Pathogen-Specific Mastitis Control in a Dairy Herd. *Journal of Dairy Science*, vol. 88(12), pp. 4243-4257.

Internet

Bergh, A. (2018). *Marknadsrapport mjölk och mejeriprodukter utvecklingen till och med 2018*. Jönköping: Jordbruksverket (Rapport) Available: <https://www.jordbruksverket.se/download/18.114a33071628876461090a02/1522929812136/Marknadsrapport%20mejeri%202018.pdf> [2018-11-21]

SCB (Statistiska Centralbyrån) (2018). *Inflation i Sverige 1831-2017*. Available: <https://www.scb.se/hitta-statistik/statistik-efter-amne/priser-och-konsumtion/konsumentprisindex/konsumentprisindex-kpi/pong/tabell-och-diagram/konsumentprisindex-kpi/inflation-i-sverige/> [2018-10-29]

Växa Sverige (2018). *Husdjursstatistik 2018*. Available: <https://www.vxa.se/globalassets/dokument/statistik/husdjursstatistik-2018.pdf> [2018-10-29]